

# Trip List for Ecuador

26 November - 8 December, 2005  
David Armstrong, Mark Eaton  
552 species for the trip, 30 heard only

Species	Comments
<b>Tinamous</b>	
Gray Tinamou ( <i>Tinamus tao</i> )	
Great Tinamou ( <i>Tinamus major</i> )	Heard only both at Pedro Vicente de Maldonado and La Selva
White-throated Tinamou ( <i>Tinamus guttatus</i> )	
Highland Tinamou ( <i>Nothocercus bonapartei</i> )	
Cinereous Tinamou ( <i>Crypturellus cinereus</i> )	Heard only at La Selva
Tawny-breasted Tinamou ( <i>Nothocercus julius</i> )	
Berlepsch's Tinamou ( <i>Crypturellus berlepschi</i> )	
Little Tinamou ( <i>Crypturellus soui</i> )	
Brown Tinamou ( <i>Crypturellus obsoletus</i> )	
Undulated Tinamou ( <i>Crypturellus undulatus</i> )	Heard only at La Selva
Variiegated Tinamou ( <i>Crypturellus variegatus</i> )	Heard only at La Selva
Bartlett's Tinamou ( <i>Crypturellus bartletti</i> )	
Pale-browed Tinamou ( <i>Crypturellus transfasciatus</i> )	
Tataupa Tinamou ( <i>Crypturellus tataupa</i> )	
Andean Tinamou ( <i>Nothoprocta pentlandii</i> )	
Curve-billed Tinamou ( <i>Nothoprocta curvirostris</i> )	
<b>Grebes</b>	
Least Grebe ( <i>Tachybaptus dominicus</i> )	
Silvery Grebe ( <i>Podiceps occipitalis</i> )	
Pied-billed Grebe ( <i>Podilymbus podiceps</i> )	
<b>Penguin</b>	
Humboldt Penguin ( <i>Spheniscus humboldti</i> )	
<b>Albatrosses</b>	
Waved Albatross ( <i>Phoebastria irrorata</i> )	
Black-browed Albatross ( <i>Thalassarche melanophris</i> )	
<b>Fulmar, Petrels and Shearwaters</b>	
Southern Fulmar ( <i>Fulmarus glacialisoides</i> )	
Cape Petrel ( <i>Daption capense</i> )	
Galápagos Petrel ( <i>Pterodroma phaeopygia</i> )	
White-chinned Petrel ( <i>Procellaria aequinoctialis</i> )	
Parkinson's Petrel ( <i>Procellaria parkinsoni</i> )	
Pink-footed Shearwater ( <i>Puffinus creatopus</i> )	
Buller's Shearwater ( <i>Puffinus bulleri</i> )	
Sooty Shearwater ( <i>Puffinus griseus</i> )	
Audubon's Shearwater ( <i>Puffinus lherminieri</i> )	
<b>Storm-Petrels</b>	
Wilson's Storm-Petrel ( <i>Oceanites oceanicus</i> )	
White-bellied Storm-Petrel ( <i>Oceanites gracilis</i> )	
White-faced Storm-Petrel ( <i>Pelagodroma marina</i> )	
Least Storm-Petrel ( <i>Oceanodroma microsoma</i> )	
Wedge-rumped Storm-Petrel ( <i>Oceanodroma tethys</i> )	
Band-rumped Storm-Petrel ( <i>Oceanodroma castro</i> )	
Markham's Storm-Petrel ( <i>Oceanodroma markhami</i> )	
Black Storm-Petrel ( <i>Oceanodroma melania</i> )	
Ringed Storm-Petrel ( <i>Oceanodroma hornbyi</i> )	
<b>Tropicbird</b>	
Red-billed Tropicbird ( <i>Phaethon aethereus</i> )	
<b>Frigatebirds</b>	
Magnificent Frigatebird ( <i>Fregata magnificens</i> )	
Great Frigatebird ( <i>Fregata minor</i> )	
<b>Boobies</b>	
Blue-footed Booby ( <i>Sula nebouxii</i> )	
Peruvian Booby ( <i>Sula variegata</i> )	
Masked Booby ( <i>Sula dactylatra</i> )	
Brown Booby ( <i>Sula leucogaster</i> )	
Red-footed Booby ( <i>Sula sula</i> )	

Species	Comments
<b>Cormorants</b>	
Neotropic Cormorant ( <i>Phalacrocorax brasilianus</i> )	Unusual at Papallacta; expected at Los Bancos and La Selva
Guanay Cormorant ( <i>Phalacrocorax bougainvillii</i> )	
<b>Anhinga</b>	
Anhinga ( <i>Anhinga anhinga</i> )	
<b>Pelicans</b>	
Brown Pelican ( <i>Pelecanus occidentalis</i> )	
<b>Screamer</b>	
Horned Screamer ( <i>Anhima cornuta</i> )	
<b>Ducks and Goose</b>	
Fulvous Whistling-Duck ( <i>Dendrocygna bicolor</i> )	
Black-bellied Whistling-Duck ( <i>Dendrocygna autumnalis</i> )	
Orinoco Goose ( <i>Neochen jubatus</i> )	
Speckled [Andean] Teal ( <i>Anas andium</i> )	
White-cheeked Pintail ( <i>Anas bahamensis</i> )	
Blue-winged Teal ( <i>Anas discors</i> )	
Cinnamon Teal ( <i>Anas cyanoptera</i> )	
Northern Shoveler ( <i>Anas clypeata</i> )	
Yellow-billed Pintail ( <i>Anas georgica</i> )	Lago Papallacta
Torrent Duck ( <i>Merganetta armata</i> )	Fairly hard to find actually. One pair where the highway at Cosanga crosses the river.
Southern Pochard ( <i>Netta erythrophthalma</i> )	
Lesser Scaup ( <i>Aythya affinis</i> )	
Comb Duck ( <i>Sarkidiornis melanotos</i> )	
Muscovy Duck ( <i>Cairina moschata</i> )	
Ruddy Duck [Andean Ruddy-Duck] ( <i>Oxyura jamaicensis ferruginea</i> )	
Masked Duck ( <i>Oxyura dominica</i> )	
<b>Flamingo</b>	
Chilean Flamingo ( <i>Phoenicopterus chilensis</i> )	
<b>Hérons, Egrets and Bitterns</b>	
Great Blue Heron ( <i>Ardea herodias</i> )	
Cocoi Heron ( <i>Ardea cocoi</i> )	Easy at La Selva
Great Egret ( <i>Ardea alba</i> )	La Selva
Snowy Egret ( <i>Egretta thula</i> )	La Selva
Little Blue Heron ( <i>Egretta caerulea</i> )	
Tricolored Heron ( <i>Egretta tricolor</i> )	
Green Heron ( <i>Butorides virescens</i> )	
Striated Heron ( <i>Butorides striatus</i> )	Both slopes. Pedro Vicente de Maldonado, Milpe Preserve, La Selva
Agami Heron ( <i>Agamia agami</i> )	Lago Garzacocha at La Selva
Capped Heron ( <i>Pilherodius pileatus</i> )	
Cattle Egret ( <i>Bubulcus ibis</i> )	Both slopes. Pedro Vicente de Maldonado, Milpe Preserve, La Selva
Boat-billed Heron ( <i>Cochlearius cochlearius</i> )	
Black-crowned Night-Heron ( <i>Nycticorax nycticorax</i> )	La Selva
Yellow-crowned Night-Heron ( <i>Nyctanassa violacea</i> )	
Rufescent Tiger-Heron ( <i>Tigrisoma lineatum</i> )	Nice looks at Lago Garzacocha at La Selva
Fasciated Tiger-Heron ( <i>Tigrisoma fasciatum</i> )	
Zigzag Heron ( <i>Zebrius undulatus</i> )	
Stripe-backed Bittern ( <i>Ixobrychus involucris</i> )	
Least Bittern ( <i>Ixobrychus exilis</i> )	
Pinnated Bittern ( <i>Botaurus pinnatus</i> )	
<b>Ibises and Spoonbill</b>	
Black-faced Ibis ( <i>Theristicus melanopis</i> )	
Green Ibis ( <i>Mesembrinibis cayennensis</i> )	
Bare-faced Ibis ( <i>Phimosus infuscatus</i> )	
White Ibis ( <i>Eudocimus albus</i> )	
Scarlet Ibis ( <i>Eudocimus ruber</i> )	
Glossy Ibis ( <i>Plegadis falcinellus</i> )	
Roseate Spoonbill ( <i>Ajaia ajaja</i> )	La Selva
<b>Storks</b>	
Wood Stork ( <i>Mycteria americana</i> )	
Jabiru ( <i>Jabiru mycteria</i> )	

Species	Comments
<b>Condor and Vultures</b>	
Andean Condor ( <i>Vultur gryphus</i> )	Spectacular male flyover not 200 meters away at microondas at Papallacta.
King Vulture ( <i>Sarcorampus papa</i> )	Crippling looks from tower at La Selva
Black Vulture ( <i>Coragyps atratus</i> )	Ubiquitous in lowlands on both slopes
Turkey Vulture ( <i>Cathartes aura</i> )	Ubiquitous in lowlands on both slopes
Greater Yellow-headed Vulture ( <i>Cathartes melambrotus</i> )	Nice looks at La Selva
<b>Kites, Hawks and allies</b>	
Osprey ( <i>Pandion haliaetus</i> )	La Selva
Gray-headed Kite ( <i>Leptodon cayanensis</i> )	Both at Pedro Vicente de Maldonado and La Selva
Hook-billed Kite ( <i>Chondrohierax uncinatus</i> )	Very close look at a perched individual on Loreto Road
Swallow-tailed Kite ( <i>Elanoides forficatus</i> )	Both slopes. Guayacomos Ridge, Milpe Preserve, La Selva
Pearl Kite ( <i>Gampsonyx swainsonii</i> )	
White-tailed Kite ( <i>Elanus leucurus</i> )	
Snail Kite ( <i>Rostrhamus sociabilis</i> )	
Slender-billed Kite ( <i>Rostrhamus hamatus</i> )	Very unusual at La Selva
Double-toothed Kite ( <i>Harpagus bidentatus</i> )	Crippling looks from tower at La Selva
Rufous-thighed Kite ( <i>Harpagus diodon</i> )	
Plumbeous Kite ( <i>Ictinia plumbea</i> )	One each at Pedro Vicente de Maldonado and heading back to Coca from La Selva
Mississippi Kite ( <i>Ictinia mississippiensis</i> )	
Cinereous Harrier ( <i>Circus cinereus</i> )	
Crane Hawk ( <i>Geranospiza caerulescens</i> )	
Sharp-shinned [Plain-breasted] Hawk ( <i>Accipiter ventralis</i> )	San Isidro
Semicollared Hawk ( <i>Accipiter collaris</i> )	
Tiny Hawk ( <i>Accipiter superciliosus</i> )	
Bicolored Hawk ( <i>Accipiter bicolor</i> )	
Gray-bellied Hawk ( <i>Accipiter poliogaster</i> )	
Slate-colored Hawk ( <i>Leucopternis schistacea</i> )	La Selva
Plumbeous Hawk ( <i>Leucopternis plumbea</i> )	
Semiplumbeous Hawk ( <i>Leucopternis semiplumbea</i> )	
Black-faced Hawk ( <i>Leucopternis melanops</i> )	
White Hawk ( <i>Leucopternis albigollis</i> )	
Gray-backed Hawk ( <i>Leucopternis occidentalis</i> )	
Barred Hawk ( <i>Leucopternis princeps</i> )	
Savanna Hawk ( <i>Buteogallus meridionalis</i> )	
Mangrove Black Hawk ( <i>Buteogallus subtilis</i> )	
Great Black Hawk ( <i>Buteogallus urubitinga</i> )	
Harris's Hawk ( <i>Parabuteo unicinctus</i> )	
Black-collared Hawk ( <i>Busarellus nigricollis</i> )	
Solitary Eagle ( <i>Harpohaliaetus solitarius</i> )	
Black-chested Buzzard-Eagle ( <i>Geranoaetus melanoleucus</i> )	Crippling look at a individual flushed at Papallacta; another soaring and Yanacocha
Gray Hawk ( <i>Asturina nitida</i> )	
Roadside Hawk ( <i>Buteo magnirostris</i> )	Both slopes. Loreto Road, Nono Road, Pedro Vicente de Maldonado
White-rumped Hawk ( <i>Buteo leucorhous</i> )	Foothills on both slopes at San Isidro and Nono Road
Broad-winged Hawk ( <i>Buteo platypterus</i> )	One at Milpe Preserve
Short-tailed Hawk ( <i>Buteo brachyurus</i> )	
White-throated Hawk ( <i>Buteo albigula</i> )	
Swainson's Hawk ( <i>Buteo swainsoni</i> )	
Zone-tailed Hawk ( <i>Buteo albonotatus</i> )	
Red-backed [Variable] Hawk ( <i>Buteo polyosoma</i> )	
Puna [Variable] Hawk ( <i>Buteo polyosoma</i> )	One high above Papallacta being harassed by a kestrel
Crested Eagle ( <i>Morphnus guianensis</i> )	
Harpy Eagle ( <i>Harpia harpyja</i> )	
Black-and-white Hawk-Eagle ( <i>Spizastur melanoleucus</i> )	
Black Hawk-Eagle ( <i>Spizaetus tyrannus</i> )	
Ornate Hawk-Eagle ( <i>Spizaetus ornatus</i> )	
Black-and-chestnut Eagle ( <i>Oroaetus isidori</i> )	
<b>Falcons</b>	
Black Caracara ( <i>Daptrius ater</i> )	La Selva
Red-throated Caracara ( <i>Ibycter americanus</i> )	Distant looks at a perched bird at La Selva
Crested Caracara ( <i>Caracara plancus</i> )	
Carunculated Caracara ( <i>Phalcoboenus carunculatus</i> )	
Mountain Caracara ( <i>Phalcoboenus megalopterus</i> )	
Yellow-headed Caracara ( <i>Milvago chimachima</i> )	Nice looks at a flyby at La Selva
Barred Forest-Falcon ( <i>Micrastur ruficollis</i> )	
Lined Forest-Falcon ( <i>Micrastur gilvicolis</i> )	Heard only at La Selva

Species	Comments
Plumbeous Forest-Falcon ( <i>Micrastur plumbeus</i> )	
Slaty-backed Forest-Falcon ( <i>Micrastur mirandollei</i> )	
Collared Forest-Falcon ( <i>Micrastur semitorquatus</i> )	
Buckley's Forest-Falcon ( <i>Micrastur buckleyi</i> )	Heard only at La Selva
Laughing Falcon ( <i>Herpetotheres cachinnans</i> )	Heard only at Milpe Preserve
American Kestrel ( <i>Falco sparverius</i> )	Fairly common. Milpe Preserve, Yanacocha, Calicali
Merlin ( <i>Falco columbarius</i> )	
Bat Falcon ( <i>Falco rufigularis</i> )	Fairly common; seemingly at lower altitudes than American Kestrel. Pedro Vicente de Maldonado, Milpe Preserve, La Selva
Orange-breasted Falcon ( <i>Falco deiroleucus</i> )	
Aplomado Falcon ( <i>Falco femoralis</i> )	
Peregrine Falcon ( <i>Falco peregrinus</i> )	A single juvenile at La Selva was unusual
<b>Chachalaca, Guans and Curassows</b>	
Speckled Chachalaca ( <i>Ortalis guttata</i> )	La Selva
Rufous-headed Chachalaca ( <i>Ortalis erythroptera</i> )	
Bearded Guan ( <i>Penelope barbata</i> )	
Andean Guan ( <i>Penelope montagnii</i> )	San Isidro and very close looks at Yanacocha
Baudó Guan ( <i>Penelope ortoni</i> )	
Spix's Guan ( <i>Penelope jacquacu</i> )	
Crested Guan ( <i>Penelope purpurascens</i> )	
Blue-throated Piping-Guan ( <i>Pipile cumanensis</i> )	
Trinidad [Common] Piping-Guan ( <i>Pipile pipile</i> )	
Wattled Guan ( <i>Aburria aburri</i> )	Very commonly heard at San Isidro; hard to see
Sickle-winged Guan ( <i>Chamaepetes goudotii</i> )	
Nocturnal Curassow ( <i>Nothocrax urumutum</i> )	
Salvin's Curassow ( <i>Mitu salvini</i> )	
Great Curassow ( <i>Crax rubra</i> )	
Wattled Curassow ( <i>Crax globulosa</i> )	
<b>Wood-Quail and Quail</b>	
Marbled Wood-Quail ( <i>Odontophorus gujanensis</i> )	
Rufous-fronted Wood-Quail ( <i>Odontophorus erythrops</i> )	
<b>Dark-backed Wood-Quail (<i>Odontophorus melanonotus</i>)</b>	
Rufous-breasted Wood-Quail ( <i>Odontophorus speciosus</i> )	
Starred Wood-Quail ( <i>Odontophorus stellatus</i> )	
Tawny-faced Quail ( <i>Rhynchortyx cinctus</i> )	
<b>Rails and Coots</b>	
Chestnut-headed Crake ( <i>Anurolimnas castaneiceps</i> )	
Gray-breasted Crake ( <i>Laterallus exilis</i> )	
White-throated Crake ( <i>Laterallus albigularis</i> )	Heard only at Milpe Preserve
Rufous-sided Crake ( <i>Laterallus melanophaius</i> )	
Black-banded Crake ( <i>Laterallus fasciatus</i> )	
Russet-crowned Crake ( <i>Laterallus viridis</i> )	
Blackish Rail ( <i>Pardirallus nigricans</i> )	
Plumbeous Rail ( <i>Pardirallus sanguinolentus</i> )	
Spotted Rail ( <i>Pardirallus maculatus</i> )	
Clapper Rail ( <i>Rallus longirostris</i> )	
Virginia Rail ( <i>Rallus limicola</i> )	
Rufous-necked Wood-Rail ( <i>Aramides axillaris</i> )	
Gray-necked Wood-Rail ( <i>Aramides cajanea</i> )	Heard only at La Selva
Brown Wood-Rail ( <i>Aramides wolfi</i> )	One flushed at Pedro Vicente de Maldonado
Red-winged Wood-Rail ( <i>Aramides calopterus</i> )	
Uniform Crake ( <i>Amaurolimnas concolor</i> )	
Sora ( <i>Porzana carolina</i> )	
Yellow-breasted Crake ( <i>Porzana flaviventer</i> )	
Paint-billed Crake ( <i>Neocrex erythrops</i> )	
Colombian Crake ( <i>Neocrex colombianus</i> )	
Purple Gallinule ( <i>Porphyryla martinica</i> )	
Azure Gallinule ( <i>Porphyryla flavirostris</i> )	Nice looks at Lago Mandicocha at La Selva
Common Moorhen ( <i>Gallinula chloropus</i> )	
American Coot ( <i>Fulica americana</i> )	
Slate-colored [Andean] Coot ( <i>Fulica ardesiaca</i> )	
<b>Sungrebe</b>	
Sungrebe ( <i>Heliornis fulica</i> )	Nice looks at La Selva
<b>Sunbittern</b>	
Sunbittern ( <i>Eurypyga helias</i> )	Nice looks at La Selva

Species	Comments
<b>Limpkin</b>	
Limpkin ( <i>Aramus guarauna</i> )	
<b>Trumpeter</b>	
Gray-winged Trumpeter ( <i>Psophia crepitans</i> )	
<b>Jaçana</b>	
Wattled Jaçana ( <i>Jacana jacana</i> )	
<b>Shorebirds</b>	
Greater Yellowlegs ( <i>Tringa melanoleuca</i> )	La Selva
Lesser Yellowlegs ( <i>Tringa flavipes</i> )	La Selva
Solitary Sandpiper ( <i>Tringa solitaria</i> )	
Willet ( <i>Catoptrophorus semipalmatus</i> )	
Wandering Tattler ( <i>Heteroscelus incanus</i> )	
Spotted Sandpiper ( <i>Actitis macularia</i> )	Amazingly easy to find virtually anywhere with water on both slopes
Upland Sandpiper ( <i>Bartramia longicauda</i> )	
Whimbrel ( <i>Numenius phaeopus</i> )	
Hudsonian Godwit ( <i>Limosa haemastica</i> )	
Marbled Godwit ( <i>Limosa fedoa</i> )	
Ruddy Turnstone ( <i>Arenaria interpres</i> )	
Surfbird ( <i>Aphriza virgata</i> )	
Red Knot ( <i>Calidris canutus</i> )	
Sanderling ( <i>Calidris alba</i> )	
Dunlin ( <i>Calidris alpina</i> )	
Curlew Sandpiper ( <i>Calidris ferruginea</i> )	
Semipalmated Sandpiper ( <i>Calidris pusilla</i> )	
Western Sandpiper ( <i>Calidris mauri</i> )	
Least Sandpiper ( <i>Calidris minutilla</i> )	
White-rumped Sandpiper ( <i>Calidris fuscicollis</i> )	
Baird's Sandpiper ( <i>Calidris bairdii</i> )	
Pectoral Sandpiper ( <i>Calidris melanotos</i> )	
Stilt Sandpiper ( <i>Calidris himantopus</i> )	
Buff-breasted Sandpiper ( <i>Tryngites subruficollis</i> )	
Short-billed Dowitcher ( <i>Limnodromus griseus</i> )	
Wilson's [Common] Snipe ( <i>Gallinago delicata</i> )	
South American Snipe ( <i>Gallinago paraguaiae</i> )	
Noble Snipe ( <i>Gallinago nobilis</i> )	
Puna Snipe ( <i>Gallinago andina</i> )	
Andean Snipe ( <i>Gallinago jamesoni</i> )	
Imperial Snipe ( <i>Gallinago imperialis</i> )	
Red Phalarope ( <i>Phalaropus fulicarius</i> )	
Red-necked Phalarope ( <i>Phalaropus lobatus</i> )	
Wilson's Phalarope ( <i>Steganopus tricolor</i> )	
<b>Seedsnipe</b>	
Rufous-bellied Seedsnipe ( <i>Attagus gayi</i> )	At the microondas at Papallacta
Least Seedsnipe ( <i>Thinocorus rumicivorus</i> )	
<b>Thick-knee</b>	
Peruvian Thick-knee ( <i>Burhinus superciliaris</i> )	
<b>Oystercatcher</b>	
American Oystercatcher ( <i>Haematopus palliatus</i> )	
<b>Stilt and Avocet</b>	
Black-necked Stilt ( <i>Himantopus mexicanus</i> )	
American Avocet ( <i>Recurvirostra americana</i> )	
<b>Lapwings and Plovers</b>	
Southern Lapwing ( <i>Vanellus chilensis</i> )	
Andean Lapwing ( <i>Vanellus resplendens</i> )	
Black-bellied [Gray] Plover ( <i>Pluvialis squatarola</i> )	
American Golden-Plover ( <i>Pluvialis dominica</i> )	
Pied Lapwing [Plover] ( <i>Vanellus cayanus</i> )	Along the Rio Napo at La Selva
Semipalmated Plover ( <i>Charadrius semipalmatus</i> )	
Snowy Plover ( <i>Charadrius alexandrinus</i> )	
Collared Plover ( <i>Charadrius collaris</i> )	
Killdeer ( <i>Charadrius vociferus</i> )	

Species	Comments
Wilson's Plover ( <i>Charadrius wilsonia</i> )	
Piping Plover ( <i>Charadrius melodus</i> )	
Tawny-throated Dotterel ( <i>Oreopholus ruficollis</i> )	
<b>Gulls and Terns</b>	
Gray Gull ( <i>Larus modestus</i> )	
Kelp Gull ( <i>Larus dominicanus</i> )	
Lesser Black-backed Gull ( <i>Larus fuscus</i> )	
Herring Gull ( <i>Larus argentatus</i> )	
Ring-billed Gull ( <i>Larus delawarensis</i> )	
Laughing Gull ( <i>Larus atricilla</i> )	
Gray-hooded Gull ( <i>Larus cirrocephalus</i> )	
Andean Gull ( <i>Larus serranus</i> )	Lago Papallacta
Franklin's Gull ( <i>Larus pipixcan</i> )	
Sabine's Gull ( <i>Xema sabini</i> )	
Swallow-tailed Gull ( <i>Creagrus furcatus</i> )	
Gull-billed Tern ( <i>Sterna nilotica</i> )	
Royal Tern ( <i>Sterna maxima</i> )	
Elegant Tern ( <i>Sterna elegans</i> )	
Sandwich Tern ( <i>Sterna sandvicensis</i> )	
South American Tern ( <i>Sterna hirundinea</i> )	
Common Tern ( <i>Sterna hirundo</i> )	
Arctic Tern ( <i>Sterna paradisaea</i> )	
Yellow-billed Tern ( <i>Sterna supercilii</i> )	Along the Rio Napo at La Selva
Least Tern ( <i>Sterna antillarum</i> )	
Peruvian Tern ( <i>Sterna lorata</i> )	
Bridled Tern ( <i>Sterna anaethetus</i> )	
Large-billed Tern ( <i>Phaetusa simplex</i> )	
Black Tern ( <i>Chlidonias niger</i> )	
Inca Tern ( <i>Larosterna inca</i> )	
<b>Skuas and Jaegers</b>	
Chilean Skua ( <i>Catharacta chilensis</i> )	
South Polar Skua ( <i>Catharacta maccormicki</i> )	
Pomarine Jaeger ( <i>Stercorarius pomarinus</i> )	
Parasitic Jaeger ( <i>Stercorarius parasiticus</i> )	
Long-tailed Jaeger ( <i>Stercorarius longicaudus</i> )	
<b>Skimmer</b>	
Black Skimmer ( <i>Rynchops nigra</i> )	
<b>Doves</b>	
Rock Pigeon ( <i>Columba livia</i> )	Found only in highly disturbed areas at Tandayapa and in Quito
Band-tailed Pigeon ( <i>Patagioenas fasciata</i> )	Common on both slopes. Papallacta, Guayacomas Ridge, Nono Road
Scaled Pigeon ( <i>Patagioenas speciosa</i> )	
Pale-vented Pigeon ( <i>Patagioenas cayennensis</i> )	La Selva
Peruvian [Marañón] Pigeon ( <i>Patagioenas oenops</i> )	
Ruddy Pigeon ( <i>Patagioenas subvinacea</i> )	More often heard than seen. La Selva and heard at Pedro Vicente de Maldonado
Plumbeous Pigeon ( <i>Patagioenas plumbea</i> )	Tandayapa
Dusky Pigeon ( <i>Patagioenas goodsoni</i> )	
Eared Dove ( <i>Zenaida auriculata</i> )	Common only in cities. Quito
West Peruvian Dove ( <i>Zenaida meloda</i> )	
Common [Scaly] Ground-Dove ( <i>Columbina passerina</i> )	West slope at Calicali
Plain-breasted Ground-dove ( <i>Columbina minuta</i> )	
Ruddy Ground-Dove ( <i>Columbina talpacoti</i> )	Rio Napo at La Selva
Ecuadorian Ground-Dove ( <i>Columbina buckleyi</i> )	
Croaking Ground-Dove ( <i>Columbina cruziana</i> )	
Blue Ground-Dove ( <i>Claravis pretiosa</i> )	
Maroon-chested Ground-Dove ( <i>Claravis mondetoura</i> )	
Black-winged Ground-Dove ( <i>Metriopelia melanoptera</i> )	
Ochre-bellied Dove ( <i>Leptotila ochraceiventris</i> )	
White-tipped Dove ( <i>Leptotila verreauxi</i> )	Curious bimodal distribution. Fairly common in the west at Tandayapa, Upper Tandayapa Valley and Yanacocha, and local at La Selva. Are the eastern birds a separate species?
Pallid Dove ( <i>Leptotila pallida</i> )	
Gray-fronted Dove ( <i>Leptotila rufaxilla</i> )	More common than White-tipped Dove at La Selva
Sapphire Quail-Dove ( <i>Geotrygon saphirina</i> )	
Sapphire [Indigo-crowned] Quail-Dove ( <i>Geotrygon saphirina purpurata</i> )	One bird expertly picked out by Holger at Milpe Preserve
Olive-backed Quail-Dove ( <i>Geotrygon veraguensis</i> )	
White-throated Quail-Dove ( <i>Geotrygon frenata</i> )	Heard only at San Isidro

Species	Comments
Violaceous Quail-Dove ( <i>Geotrygon violacea</i> )	
Ruddy Quail-Dove ( <i>Geotrygon montana</i> )	
<b>Parrots</b>	
Blue-and-yellow Macaw ( <i>Ara ararauna</i> )	La Selva
Military Macaw ( <i>Ara militaris</i> )	
Great Green Macaw ( <i>Ara ambigua</i> )	
Scarlet Macaw ( <i>Ara macao</i> )	La Selva
Red-and-green Macaw ( <i>Ara chloroptera</i> )	
Chestnut-fronted Macaw ( <i>Ara severa</i> )	
Red-bellied Macaw ( <i>Orthopsittaca manilata</i> )	La Selva
Scarlet-fronted Parakeet ( <i>Aratinga wagleri</i> )	
Red-masked Parakeet ( <i>Aratinga erythrogenys</i> )	
White-eyed Parakeet ( <i>Aratinga leucophthalmus</i> )	
Dusky-headed Parakeet ( <i>Aratinga weddellii</i> )	La Selva
Golden-plumed Parakeet ( <i>Leptosittaca branickii</i> )	
Yellow-eared Parrot ( <i>Ognorhynchus icterotis</i> )	
Painted Parakeet ( <i>Pyrrhura picta</i> )	
Maroon-tailed Parakeet ( <i>Pyrrhura melanura</i> )	Pedro Vicente de Maldonado, Los Bancos, Milpe Preserve
<b>El Oro Parakeet (<i>Pyrrhura orcesi</i>)</b>	
<b>White-necked Parakeet (<i>Pyrrhura albipectus</i>)</b>	
Barred Parakeet ( <i>Bolborhynchus lineola</i> )	
Dusky-billed Parrotlet ( <i>Forpus sclateri</i> )	
Blue-winged Parrotlet ( <i>Forpus xanthopterygius</i> )	La Selva
Pacific Parrotlet ( <i>Forpus coelestis</i> )	Pedro Vicente de Maldonado
Gray-cheeked Parakeet ( <i>Brotogeris pyrrhopterus</i> )	
Cobalt-winged Parakeet ( <i>Brotogeris cyanoptera</i> )	Fairly easy to find at La Selva
Tui Parakeet ( <i>Brotogeris sanctithomae</i> )	
Sapphire-rumped Parrotlet ( <i>Touit purpurata</i> )	
Scarlet-shouldered Parrotlet ( <i>Touit huetii</i> )	
Blue-fronted Parrotlet ( <i>Touit dilectissima</i> )	
Spot-winged Parrotlet ( <i>Touit stictoptera</i> )	
Black-headed Parrot ( <i>Pionites melanocephala</i> )	A stunning bird from the tower at La Selva
Rose-faced Parrot ( <i>Pionopsitta pulchra</i> )	
Orange-cheeked Parrot ( <i>Pionopsitta barrabandi</i> )	
Saffron-headed Parrot ( <i>Pionopsitta pyralia</i> )	
Rusty-faced Parrot ( <i>Hapalopsittaca amazonina</i> )	
Red-faced Parrot ( <i>Hapalopsittaca pyrrhops</i> )	
Short-tailed Parrot ( <i>Graydidascalus brachyurus</i> )	
Blue-headed Parrot ( <i>Pionus menstruus</i> )	One at Pedro Vicente de Maldonado by Mark, others at La Selva
Red-billed Parrot ( <i>Pionus sordidus</i> )	Foothills on both slopes at San Isidro, Tandayapa and Upper Tandayapa Valley
Speckle-faced [White-capped] Parrot ( <i>Pionus tumultuosus seniloides</i> )	San Isidro
Bronze-winged Parrot ( <i>Pionus chalcopterus</i> )	West slope at Pedro Vicente de Maldonado, Los Bancos, Upper Tandayapa Valley, Milpe Preserve
Red-lored Parrot [Amazon] ( <i>Amazona autumnalis</i> )	
Festive Parrot [Amazon] ( <i>Amazona festiva</i> )	
Yellow-crowned Parrot [Amazon] ( <i>Amazona ochrocephala</i> )	La Selva
Orange-winged Parrot [Amazon] ( <i>Amazona Parrot [Amazon]jica</i> )	La Selva
Scaly-naped Parrot [Amazon] ( <i>Amazona mercenaria</i> )	
Mealy Parrot [Amazon] ( <i>Amazona farinosa</i> )	La Selva
Red-fan Parrot ( <i>Deroptryus accipitrinus</i> )	
<b>Cuckoos</b>	
Black-billed Cuckoo ( <i>Coccyzus erythrophthalmus</i> )	
Yellow-billed Cuckoo ( <i>Coccyzus americanus</i> )	
Pearly-breasted Cuckoo ( <i>Coccyzus euleri</i> )	
Dark-billed Cuckoo ( <i>Coccyzus melacoryphus</i> )	
Gray-capped Cuckoo ( <i>Coccyzus lansbergi</i> )	
Squirrel Cuckoo ( <i>Piaya cayana</i> )	Both slopes. San Isidro, Pedro Vicente de Maldonado, La Selva
Black-bellied Cuckoo ( <i>Piaya melanogaster</i> )	
Little Cuckoo ( <i>Piaya minuta</i> )	
Greater Ani ( <i>Crotophaga major</i> )	Conspicuous at La Selva
Smooth-billed Ani ( <i>Crotophaga ani</i> )	Both slopes at Los Bancos, Milpe Preserve and La Selva
Groove-billed Ani ( <i>Crotophaga sulcirostris</i> )	
Striped Cuckoo ( <i>Tapera naevia</i> )	One walking along the road at Pedro Vicente de Maldonado
Pheasant Cuckoo ( <i>Dromococcyx phasianellus</i> )	
Pavonine Cuckoo ( <i>Dromococcyx pavoninus</i> )	
Rufous-vented Ground-Cuckoo ( <i>Neomorphus geoffroyi</i> )	
Red-billed Ground-Cuckoo ( <i>Neomorphus pucheranii</i> )	
Banded Ground-Cuckoo ( <i>Neomorphus radiolosus</i> )	

Species	Comments
<b>Hoatzin</b>	
Hoatzin ( <i>Opisthocomus hoazin</i> )	Impossible to miss at Lago Garzacochoa at La Selva
<b>Barn Owl</b>	
Barn Owl ( <i>Tyto alba</i> )	
<b>Typical Owls</b>	
Vermiculated [Middle American] Screech-Owl ( <i>Otus guatemalae</i> )	
Vermiculated Screech-Owl ( <i>Otus guatemalae vermiculatus</i> )	
Vermiculated [Tropical] Screech-Owl ( <i>Otus guatemalae choliba</i> )	Crippling looks at a very tame individual that would join us for dinner at La Selva
Vermiculated [West Peruvian] Screech-Owl ( <i>Otus guatemalae roboratus</i> )	
Rufescent Screech-Owl ( <i>Otus ingens</i> )	
Colombian Screech-Owl ( <i>Otus colombianus</i> )	
Cloudforest Screech-Owl ( <i>Otus huberi</i> )	
Tawny-bellied Screech-Owl ( <i>Otus watsonii</i> )	Crippling looks at one along the boardwalk at La Selva
White-throated Screech-Owl ( <i>Otus albobularis</i> )	Fly-by on the road at Los Bancos
Crested Owl ( <i>Lophotrix cristata</i> )	Seen only by eye shine at La Selva: easy to hear
Great Horned Owl ( <i>Bubo virginianus</i> )	
Spectacled Owl ( <i>Pulsatrix perspicillata</i> )	Heard only at La Selva, unfortunately
Band-bellied Owl ( <i>Pulsatrix melanota</i> )	
Andean Pygmy-Owl ( <i>Glaucidium jardinii</i> )	Heard only at Yanacochoa
Cloudforest Pygmy-Owl ( <i>Glaucidium nubicola</i> )	Heard only at Tandayapa
Central American Pygmy-Owl ( <i>Glaucidium griseiceps</i> )	
Subtropical Pygmy-Owl ( <i>Glaucidium parkeri</i> )	
Ferruginous Pygmy-Owl ( <i>Glaucidium brasilianum</i> )	Easy to see at La Selva
Peruvian [Pacific] Pygmy-Owl ( <i>Glaucidium peruanum</i> )	
Burrowing Owl ( <i>Speotyto cunicularia</i> )	
Black-and-white Owl ( <i>Strix nigrolineata</i> )	"San Isidro owl" was heard only, unfortunately
Black-banded Owl ( <i>Strix huhula</i> )	Unusual and well-seen at La Selva
Mottled Owl ( <i>Strix virgata</i> )	Tandayapa
Rufous-banded Owl ( <i>Strix albitarsus</i> )	
Striped Owl ( <i>Asio clamator</i> )	
Stygian Owl ( <i>Asio stygius</i> )	
Short-eared Owl ( <i>Asio flammeus</i> )	
Buff-fronted Owl ( <i>Aegolius harrisi</i> )	
<b>Oilbird</b>	
Oilbird ( <i>Steatornis caripensis</i> )	
<b>Potoos</b>	
Great Potoo ( <i>Nyctibius grandis</i> )	Well-seen at a roost along Rio Napo at La Selva
Long-tailed Potoo ( <i>Nyctibius aethereus</i> )	
Common Potoo ( <i>Nyctibius griseus</i> )	Also seen at Lago Garzacochoa at La Selva
Andean Potoo ( <i>Nyctibius maculosus</i> )	
Rufous Potoo ( <i>Nyctibius bracteatus</i> )	
<b>Nightjars</b>	
Short-tailed Nighthawk ( <i>Lurocalis semitorquatus</i> )	
Rufous-bellied Nighthawk ( <i>Lurocalis rufiventris</i> )	
Sand-colored Nighthawk ( <i>Chordeiles rupestris</i> )	Impossible to miss at Lago Garzacochoa at La Selva
Lesser Nighthawk ( <i>Chordeiles acutipennis</i> )	
Common Nighthawk ( <i>Chordeiles minor</i> )	One in with the Sand-colored Nighthawks at La Selva
Band-tailed Nighthawk ( <i>Nyctiprogne leucopygia</i> )	
Nacunda Nighthawk ( <i>Podager nacunda</i> )	
Common Pauraque ( <i>Nyctidromus albicollis</i> )	Poorly seen at Pedro Vicente de Maldonado; heard at La Selva
Ocellated Poorwill ( <i>Nyctiphrynus ocellatus</i> )	
Chocó Poorwill ( <i>Nyctiphrynus rosenbergi</i> )	
Band-winged Nightjar ( <i>Caprimulgus longirostris</i> )	
Rufous Nightjar ( <i>Caprimulgus rufus</i> )	
White-tailed Nightjar ( <i>Caprimulgus cayennensis</i> )	
Scrub [Anthony's] Nightjar ( <i>Caprimulgus anthonyi</i> )	
Spot-tailed Nightjar ( <i>Caprimulgus maculicaudus</i> )	
Blackish Nightjar ( <i>Caprimulgus nigrescens</i> )	
Ladder-tailed Nightjar ( <i>Hydropsalis climacocerca</i> )	La Selva
Swallow-tailed Nightjar ( <i>Uropsalis segmentata</i> )	Nice looks at a roosting bird at Upper Tandayapa Valley
Lyre-tailed Nightjar ( <i>Uropsalis lyra</i> )	
<b>Swifts</b>	

Species	Comments
White-collared Swift ( <i>Streptoprocne zonaris</i> )	Ubiquitous on both slopes
Chestnut-collared Swift ( <i>Streptoprocne rutilus</i> )	
White-chinned Swift ( <i>Cypseloides cryptus</i> )	
Spot-fronted Swift ( <i>Cypseloides cherriei</i> )	
White-chested Swift ( <i>Cypseloides lemosi</i> )	
Chimney Swift ( <i>Chaetura pelagica</i> )	
Short-tailed Swift ( <i>Chaetura brachyura</i> )	Fairly easy to pick out at La Selva
Band-rumped Swift ( <i>Chaetura spinicauda</i> )	
Gray-rumped Swift ( <i>Chaetura cinereiventris</i> )	West slope at Pedro Vicente de Maldonado, Milpe Preserve
Pale-rumped Swift ( <i>Chaetura egregia</i> )	One seen by Mark at Pedro Vicente de Maldonado
Chapman's Swift ( <i>Chaetura chapmani</i> )	
White-tipped Swift ( <i>Aeronautes montivagus</i> )	
Lesser Swallow-tailed Swift ( <i>Panyptila cayennensis</i> )	
Fork-tailed [Neotropical] Palm-Swift ( <i>Tachornis squamata</i> )	Ubiquitous at La Selva
<b>Hummingbirds</b>	
Bronzy Hermit ( <i>Glaucis aenea</i> )	
Rufous-breasted Hermit ( <i>Glaucis hirsuta</i> )	
Pale-tailed Barbthroat ( <i>Threnetes leucurus</i> )	Near water at La Selva
Band-tailed Barbthroat ( <i>Threnetes ruckeri</i> )	
White-whiskered Hermit ( <i>Phaethornis yaruqui</i> )	Pedro Vicente de Maldonado, Los Bancos, Milpe Preserve
Green Hermit ( <i>Phaethornis guy</i> )	
Tawny-bellied Hermit ( <i>Phaethornis symratorphorus</i> )	Tandayapa and another seen by David at San Isidro
Great-billed Hermit ( <i>Phaethornis malaris</i> )	
Western Long-tailed [Baron's] Hermit ( <i>Phaethornis longirostris baroni</i> )	
White-bearded Hermit ( <i>Phaethornis hispidus</i> )	
Straight-billed Hermit ( <i>Phaethornis bourcierii</i> )	One from the canoe at Lago Garzacochoa at La Selva
Reddish Hermit ( <i>Phaethornis ruber</i> )	
Gray-chinned Hermit ( <i>Phaethornis griseogularis</i> )	
Black-throated Hermit ( <i>Phaethornis atrimentalis</i> )	
Stripe-throated Hermit ( <i>Phaethornis striigularis</i> )	
Tooth-billed Hummingbird ( <i>Androdon aequatorialis</i> )	
White-tipped Sicklebill ( <i>Eutoxeres aquila</i> )	
Buff-tailed Sicklebill ( <i>Eutoxeres condensini</i> )	
Blue-fronted Lancebill ( <i>Doryfera johanna</i> )	
Green-fronted Lancebill ( <i>Doryfera ludovicica</i> )	Tandayapa
Gray-breasted Sabrewing ( <i>Campylopterus largipennis</i> )	
Lazuline Sabrewing ( <i>Campylopterus falcatus</i> )	
Napo Sabrewing ( <i>Campylopterus villaviscensio</i> )	
White-necked Jacobin ( <i>Florisuga mellivora</i> )	
Brown Violet-ear ( <i>Colibri delphinae</i> )	Tandayapa
Green Violet-ear ( <i>Colibri thalassinus</i> )	Both slopes. San Isidro, Tandayapa, Upper Tandayapa Valley
Sparkling Violet-ear ( <i>Colibri coruscans</i> )	Widespread. Guango, San Isidro, Tandayapa, Quito
Black-throated Mango ( <i>Anthracothorax nigricollis</i> )	
Fiery-tailed Aowlbill ( <i>Avocettula recurvirostris</i> )	
Violet-headed Hummingbird ( <i>Klais guimeti</i> )	
Spangled Coquette ( <i>Lophornis stictolophus</i> )	
Rufous-crested Coquette ( <i>Lophornis delattrei</i> )	
Festive Coquette ( <i>Lophornis chalybeus</i> )	
Wire-crested Thorntail ( <i>Popelairia popelairii</i> )	
Black-bellied Thorntail ( <i>Popelairia langsdorffi</i> )	
Green Thorntail ( <i>Popelairia conversii</i> )	Pedro Vicente de Maldonado, Los Bancos
Blue-chinned Sapphire ( <i>Chlorestes notatus</i> )	
Blue-tailed Emerald ( <i>Chlorostilbon mellisugus</i> )	
Western Emerald ( <i>Chlorostilbon melanorhynchus</i> )	Tandayapa
Fork-tailed Woodnymph ( <i>Thalurania furcata</i> )	Fairly easy to find at the lodge at La Selva
Green-crowned Woodnymph ( <i>Thalurania fannyi</i> )	Lowlands in the west. Los Bancos, Pedro Vicente de Maldonado, Milpe Preserve
Green-crowned [Emerald-bellied] Woodnymph ( <i>Thalurania fannyi hypochlora</i> )	
Violet-bellied Hummingbird ( <i>Damophila julie</i> )	Pedro Vicente de Maldonado
Rufous-throated Sapphire ( <i>Hylocharis sapphirina</i> )	
	One bird fairly well seen and identified as such as by Rodrigo. Mark's recollection of the bird is very close to the plate in Ridgeley and Greenfield and the bird is on the La Selva list.
White-chinned Sapphire ( <i>Hylocharis cyanus</i> )	
Blue-headed Sapphire ( <i>Hylocharis grayi</i> )	
Humboldt's Sapphire ( <i>Hylocharis humboldti</i> )	
Golden-tailed Sapphire ( <i>Chrysoronia oenone</i> )	
Green-tailed Goldenthrout ( <i>Polytmus theresiae</i> )	
Olive-spotted Hummingbird ( <i>Leucippus chlorocercus</i> )	
Tumbes Hummingbird ( <i>Leucippus baeri</i> )	

Species	Comments
Many-spotted Hummingbird ( <i>Taphrospilus hypostictus</i> )	
Glittering-throated Emerald ( <i>Amazilia fimbriata</i> )	
Sapphire-spangled Emerald ( <i>Amazilia lactea</i> )	
Blue-chested Hummingbird ( <i>Amazilia amabilis</i> )	
Purple-chested Hummingbird ( <i>Amazilia rosenbergi</i> )	
Andean Emerald ( <i>Amazilia franciae</i> )	Pedro Vicente de Maldonado, Los Bancos
Amazilia Hummingbird ( <i>Amazilia amazilia</i> )	
Rufous-tailed Hummingbird ( <i>Amazilia tzacatl</i> )	Easy to see. Guango, San Isidro, Los Bancos
White-vented Plumeleteer ( <i>Chalybura buffonii</i> )	
Bronze-tailed Plumeleteer ( <i>Chalybura urochrysa</i> )	
Speckled Hummingbird ( <i>Adelomyia melanogenys</i> )	Perhaps the most common hummingbird in the subtropics. Guango, San Isidro, Nono Road, Tandayapa
Rufous-vented Whitetip ( <i>Urosticte ruficrissa</i> )	
Purple-bibbed Whitetip ( <i>Urosticte benjamini</i> )	Tandayapa
Ecuadorian Piedtail ( <i>Phlogophilus hemileucurus</i> )	
Empress Brilliant ( <i>Heliodoxa imperatrix</i> )	Tandayapa
Pink-throated Brilliant ( <i>Heliodoxa gularis</i> )	
Black-throated Brilliant ( <i>Heliodoxa schreibersii</i> )	
Gould's Jewelfront ( <i>Heliodoxa aurescens</i> )	
Fawn-breasted Brilliant ( <i>Heliodoxa rubinoides</i> )	San Isidro, Tandayapa
Green-crowned Brilliant ( <i>Heliodoxa jacula</i> )	Lowlands in the west. Los Bancos, Milpe Preserve
Violet-fronted Brilliant ( <i>Heliodoxa leadbeateri</i> )	
Fiery Topaz ( <i>Topaza pyra</i> )	
Andean Hillstar ( <i>Oreotrochilus estella</i> )	
<b>Ecuadorian Hillstar (<i>Oreotrochilus chimborazo</i>)</b>	
White-tailed Hillstar ( <i>Urochroa bougueri</i> )	Guayacomos Ridge
Giant Hummingbird ( <i>Patagona gigas</i> )	Papallacta
Shining Sunbeam ( <i>Aglaeactis cupripennis</i> )	Papallacta
Mountain Velvetbreast ( <i>Lafresnaya lafresnayi</i> )	Guango
Great Sapphirewing ( <i>Pterophanes cyanopterus</i> )	Yanacocha
Bronzy Inca ( <i>Coeligena coeligena</i> )	
Brown Inca ( <i>Coeligena wilsoni</i> )	Tandayapa
Collared Inca ( <i>Coeligena torquata</i> )	Both slopes. Guango, San Isidro, Tandayapa, Upper Tandayapa Valley
Buff-winged Starfrontlet ( <i>Coeligena lutetiae</i> )	Guango, Yanacocha
Rainbow Starfrontlet ( <i>Coeligena iris</i> )	
Sword-billed Hummingbird ( <i>Ensifera ensifera</i> )	Guango, Yanacocha
Buff-tailed Coronet ( <i>Boissonneaua flavescens</i> )	Guango, Tandayapa
Chestnut-breasted Coronet ( <i>Boissonneaua matthewsii</i> )	
Velvet-purple Coronet ( <i>Boissonneaua jardini</i> )	
Amethyst-throated Sunangel ( <i>Heliangelus amethysticollis</i> )	
Gorgeted Sunangel ( <i>Heliangelus strophianus</i> )	Tandayapa
Tourmaline Sunangel ( <i>Heliangelus exortis</i> )	Guango
Little [Flame-throated] Sunangel ( <i>Heliangelus micraster</i> )	
Purple-throated Sunangel ( <i>Heliangelus viola</i> )	
<b>Black-breasted Puffleg (<i>Eriocnemis nigrivestis</i>)</b>	
Glowing Puffleg ( <i>Eriocnemis vestitus</i> )	
Turquoise-throated Puffleg ( <i>Eriocnemis godini</i> )	
Sapphire-vented Puffleg ( <i>Eriocnemis luciani</i> )	Yanacocha
Golden-breasted Puffleg ( <i>Eriocnemis mosquera</i> )	Less common than Sapphire-vented Puffleg at Yanacocha
Emerald-bellied Puffleg ( <i>Eriocnemis alinae</i> )	
Black-thighed Puffleg ( <i>Eriocnemis derbyi</i> )	
Greenish Puffleg ( <i>Haplophaedia aureliae</i> )	
Hoary Puffleg ( <i>Haplophaedia lugens</i> )	
Booted Racket-tail ( <i>Ocreatus underwoodii</i> )	Ubiquitous at Tandayapa, also at Upper Tandayapa Valley and Milpe Preserve
Black-tailed Trainbearer ( <i>Lesbia victoriae</i> )	Finally well-seen at Calicali
Green-tailed Trainbearer ( <i>Lesbia nuna</i> )	
Purple-backed Thornbill ( <i>Ramphomicron microrhynchum</i> )	Papallacta
<b>Violet-throated Metaltail (<i>Metallura baroni</i>)</b>	
Viridian Metaltail ( <i>Metallura williami</i> )	
Neblina Metaltail ( <i>Metallura odomae</i> )	
Tyrian Metaltail ( <i>Metallura tyrianthina</i> )	Fairly common. Papallacta, Guango, Yanacocha
Rufous-capped Thornbill ( <i>Chalcostigma ruficeps</i> )	
Blue-mantled Thornbill ( <i>Chalcostigma stanleyi</i> )	Papallacta
Rainbow-bearded Thornbill ( <i>Chalcostigma herrani</i> )	Well seen at Yanacocha. Stunning.
Mountain Avocetbill ( <i>Opisthoprora euryptera</i> )	
Long-tailed Sylph ( <i>Aglaiocercus kingi</i> )	Guango, San Isidro
Violet-tailed Sylph ( <i>Aglaiocercus coelestis</i> )	Tandayapa
Wedge-billed Hummingbird ( <i>Schistes geoffroyi</i> )	
Purple-crowned Fairy ( <i>Heliathrix barroti</i> )	One poorly-seen by Mark at Pedro Vicente de Maldonado, another at Milpe Preserve

Species	Comments
Black-eared Fairy ( <i>Heliathrix aurita</i> )	One poorly-seen by Mark at Pedro Vicente de Maldonado
Long-billed Starthroat ( <i>Heliomaster longirostris</i> )	
Blue-tufted Starthroat ( <i>Heliomaster furcifer</i> )	
Peruvian Sheartail ( <i>Thaumastura cora</i> )	
Purple-throated Woodstar ( <i>Calliphlox mitchellii</i> )	Tandayapa
Amethyst Woodstar ( <i>Calliphlox amethystina</i> )	
Purple-collared Woodstar ( <i>Myrtis fanny</i> )	
Short-tailed Woodstar ( <i>Myrmia micrura</i> )	
White-bellied Woodstar ( <i>Acestrura mulsant</i> )	Guango
Little Woodstar ( <i>Acestrura bombus</i> )	
Gorgeted Woodstar ( <i>Acestrura heliodor</i> )	
<b>Esmeraldas Woodstar (<i>Acestrura berlepschi</i>)</b>	
<b>Quetzals and Trogons</b>	
Crested Quetzal ( <i>Pharomachrus antisianus</i> )	One seen at Tandayapa by David; also heard at San Isidro
Golden-headed Quetzal ( <i>Pharomachrus auriceps</i> )	Seen both at San Isidro and Tandayapa
Pavonine Quetzal ( <i>Pharomachrus pavoninus</i> )	
Slaty-tailed Trogon ( <i>Trogon massena</i> )	
Blue-tailed [Chocó] Trogon ( <i>Trogon comptus</i> )	Pedro Vicente de Maldonado
Black-tailed Trogon ( <i>Trogon melanurus</i> )	
White-tailed Trogon ( <i>Trogon viridis</i> )	La Selva
Collared Trogon ( <i>Trogon collaris</i> )	La Selva
Masked Trogon ( <i>Trogon personatus</i> )	Nono Road, another seen by David at Tandayapa
Black-throated Trogon ( <i>Trogon rufus</i> )	
Blue-crowned Trogon ( <i>Trogon curucui</i> )	
Violaceous Trogon ( <i>Trogon violaceus</i> )	La Selva
<b>Kingfishers</b>	
Ringed Kingfisher ( <i>Megaceryle torquata</i> )	One chattering from the river at Tandayapa; easy to see at La Selva
Belted Kingfisher ( <i>Ceryle alcyon</i> )	
Amazon Kingfisher ( <i>Chloroceryle amazona</i> )	Along the Rio Napo at La Selva
Green Kingfisher ( <i>Chloroceryle americana</i> )	La Selva
Green-and-rufous Kingfisher ( <i>Chloroceryle inda</i> )	Lago Garzacochoa at La Selva
American Pygmy Kingfisher ( <i>Chloroceryle aenea</i> )	La Selva
<b>Motmots</b>	
Broad-billed Motmot ( <i>Electron platyrhynchum</i> )	
Rufous Motmot ( <i>Baryphthengus martii</i> )	One briefly seen by David at Pedro Vicente de Maldonado
Blue-crowned Motmot ( <i>Momotus momota</i> )	Crippling looks at one at La Selva; easy to hear at La Selva
Blue-crowned [Highland] Motmot ( <i>Momotus aequatorialis</i> )	Heard only at San Isidro
<b>Jacamars</b>	
White-eared Jacamar ( <i>Galbalcyrhynchus leucotis</i> )	La Selva
Brown Jacamar ( <i>Brachygalba lugubris</i> )	La Selva
Yellow-billed Jacamar ( <i>Galbula albirostris</i> )	
White-chinned Jacamar ( <i>Galbula tombacea</i> )	La Selva
Coppery-chested Jacamar ( <i>Galbula pastazae</i> )	
Rufous-tailed Jacamar ( <i>Galbula ruficauda</i> )	
Purplish Jacamar ( <i>Galbula chalcothorax</i> )	La Selva
Paradise Jacamar ( <i>Galbula dea</i> )	
Great Jacamar ( <i>Jacamerops aurea</i> )	
<b>Puffbirds, Monklet, Nunlets and Nunbirds</b>	
White-necked Puffbird ( <i>Notharchus macrorhynchos</i> )	Heard only at La Selva
Black-breasted Puffbird ( <i>Notharchus pectoralis</i> )	
Pied Puffbird ( <i>Notharchus tectus</i> )	
Chestnut-capped Puffbird ( <i>Bucco macrodactylus</i> )	
Spotted Puffbird ( <i>Bucco tamatia</i> )	
Collared Puffbird ( <i>Bucco capensis</i> )	
Barred Puffbird ( <i>Nystalus radiatus</i> )	
Striolated Puffbird ( <i>Nystalus striolatus</i> )	
White-chested Puffbird ( <i>Malacoptila fusca</i> )	
Black-streaked Puffbird ( <i>Malacoptila fulvogularis</i> )	
White-whiskered Puffbird ( <i>Malacoptila panamensis</i> )	Killer look at an ant swarm at Pedro Vicente de Maldonado
Lanceolated Monklet ( <i>Micromonacha lanceolata</i> )	
Brown Nunlet ( <i>Nonnula brunnea</i> )	
Rusty-breasted Nunlet ( <i>Nonnula rubecula</i> )	
White-faced Nunbird ( <i>Hapaloptila castanea</i> )	
Black-fronted Nunbird ( <i>Monasa nigrifrons</i> )	Fairly common at La Selva
White-fronted Nunbird ( <i>Monasa morphoeus</i> )	Less common than Black-fronted Nunbird at La Selva

Species	Comments
Yellow-billed Nunbird ( <i>Monasa flavirostris</i> )	
Swallow-winged Puffbird ( <i>Chelidoptera tenebrosa</i> )	Mostly along the Rio Napo at La Selva
<b>Barbets</b>	
Scarlet-crowned Barbet ( <i>Capito aurovirens</i> )	La Selva
Orange-fronted Barbet ( <i>Capito squamatus</i> )	
Five-colored Barbet ( <i>Capito quinticolor</i> )	
Gilded Barbet ( <i>Capito auratus</i> )	Nice looks from the tower at La Selva
Lemon-throated Barbet ( <i>Eubucco richardsoni</i> )	Seen by Mark at La Selva
Red-headed Barbet ( <i>Eubucco bourcierii</i> )	Tandayapa
Toucan Barbet ( <i>Semnormis ramphastinus</i> )	Nono Road, Upper Tandayapa Valley. Stunning bird.
<b>Toucans, Araçaris, and Toucanets</b>	
Chestnut-tipped Toucanet ( <i>Aulacorhynchus derbianus</i> )	
Emerald Toucanet ( <i>Aulacorhynchus prasinus</i> )	San Isidro
Crimson-rumped Toucanet ( <i>Aulacorhynchus haematopygus</i> )	Tandayapa
Collared [Stripe-billed] Araçari ( <i>Pteroglossus torquatus sanguineus</i> )	
<b>Collared [Pale-mandibled] Araçari (<i>Pteroglossus torquatus erythrogygius</i>)</b>	<b>Los Bancos, Milpe Preserve</b>
Chestnut-eared Araçari ( <i>Pteroglossus castanotis</i> )	
Many-banded Araçari ( <i>Pteroglossus pluricinctus</i> )	The most common Araçari at La Selva
Lettered Araçari ( <i>Pteroglossus inscriptus</i> )	La Selva
Ivory-billed Araçari ( <i>Pteroglossus azara</i> )	La Selva
Yellow-eared Toucanet ( <i>Selenidera spectabilis</i> )	
Golden-collared Toucanet ( <i>Selenidera reinwardtii</i> )	
Plate-billed Mountain-Toucan ( <i>Andigena laminirostris</i> )	Upper Tandayapa Valley. Stunning bird
Gray-breasted Mountain-Toucan ( <i>Andigena hypoglauca</i> )	
Black-billed Mountain-Toucan ( <i>Andigena nigrirostris</i> )	
Channel-billed Toucan ( <i>Ramphastos vitellinus</i> )	Considerably less common than White-throated Toucan at La Selva
Chocó Toucan ( <i>Ramphastos brevis</i> )	Fairly common at Pedro Vicente de Maldonado, Milpe Preserve
Black-mandibled [Chestnut-mandibled] Toucan ( <i>Ramphastos swainsonii</i> )	
Black-mandibled Toucan ( <i>Ramphastos ambiguus</i> )	
White-throated Toucan ( <i>Ramphastos tucanus</i> )	Ubiquitous at La Selva
<b>Piculets and Woodpeckers</b>	
Rufous-breasted Piculet ( <i>Picumnus rufiventris</i> )	
Plain-breasted Piculet ( <i>Picumnus castelnau</i> )	
Olivaceous Piculet ( <i>Picumnus olivaceus</i> )	Pedro Vicente de Maldonado
Lafresnaye's Piculet ( <i>Picumnus lafresnayi</i> )	
Ecuadorian Piculet ( <i>Picumnus sclateri</i> )	
Andean Flicker ( <i>Colaptes rupicola</i> )	
Spot-breasted Woodpecker ( <i>Colaptes punctigula</i> )	Nice looks at one at La Selva
Crimson-mantled Woodpecker ( <i>Piculus rivolii</i> )	Tandayapa, Upper Tandayapa Valley
Golden-olive Woodpecker ( <i>Piculus rubiginosus</i> )	Pedro Vicente de Maldonado
Yellow-throated Woodpecker ( <i>Piculus flavigula</i> )	
White-throated Woodpecker ( <i>P. leucolaemus</i> )	
Lita Woodpecker ( <i>Piculus litae</i> )	
Golden-green Woodpecker ( <i>Piculus chrysochloros</i> )	
Chestnut Woodpecker ( <i>Celeus elegans</i> )	Fairly close looks at one at La Selva; many more heard
Scale-breasted Woodpecker ( <i>Celeus grammicus</i> )	
Cinnamon Woodpecker ( <i>Celeus loricatus</i> )	
Cream-colored Woodpecker ( <i>Celeus flavus</i> )	One flying by the canoe at La Selva; others heard
Rufous-headed Woodpecker ( <i>Celeus spectabilis</i> )	
Ringed Woodpecker ( <i>Celeus torquatus</i> )	
Lineated Woodpecker ( <i>Dryocopus lineatus</i> )	La Selva
Yellow-tufted Woodpecker ( <i>Melanerpes cruentatus</i> )	Good look at one from La Selva
Black-cheeked Woodpecker ( <i>Melanerpes pucherani</i> )	Lowlands in the west. Pedro Vicente de Maldonado, Los Bancos
Smoky-brown Woodpecker ( <i>Veniliornis fumigatus</i> )	Tandayapa
Little Woodpecker ( <i>Veniliornis passerinus</i> )	Nice looks at one on a river island at La Selva
Red-stained Woodpecker ( <i>Veniliornis affinis</i> )	
Chocó Woodpecker ( <i>Veniliornis chocoensis</i> )	Very rare. One found by Mark at Pedro Vicente de Maldonado and well-seen by everyone. Life bird for Holger!!!
Red-rumped Woodpecker ( <i>Veniliornis kirkii</i> )	
Scarlet-backed Woodpecker ( <i>Veniliornis callonotus</i> )	
Yellow-vented Woodpecker ( <i>Veniliornis dignus</i> )	San Isidro
Bar-bellied Woodpecker ( <i>Veniliornis nigriceps</i> )	
Crimson-crested Woodpecker ( <i>Campephilus melanoleucos</i> )	La Selva
Guayaquil Woodpecker ( <i>Campephilus guayaquilensis</i> )	One seen at Milpe Preserve; another heard at Pedro Vicente de Maldonado
Red-necked Woodpecker ( <i>Campephilus rubricollis</i> )	

Species	Comments
Powerful Woodpecker ( <i>Campephilus pollens</i> )	
Crimson-bellied Woodpecker ( <i>Campephilus haematogaster</i> )	
<b>Furnariids</b>	
Slender-billed Miner ( <i>Geositta tenuirostris</i> )	
Stout-billed Cinclodes ( <i>Cinclodes excelsior</i> )	Papallacta
Bar-winged Cinclodes ( <i>Cinclodes fuscus</i> )	Papallacta
Pale-legged [Pacific] Hornero ( <i>Furnarius leucopus cinnamomeus</i> )	Walking in the street at Pedro Vicente de Maldonado
Pale-billed [Bay] Hornero ( <i>Furnarius torridus</i> )	
Lesser Hornero ( <i>Furnarius minor</i> )	
Andean Tit-Spinetail ( <i>Leptasthenura andicola</i> )	In paramo high on Papallacta
Azara's Spinetail ( <i>Synallaxis azarae</i> )	Very common at San Isidro, Nono Road and Upper Tandayapa Valley
Dusky Spinetail ( <i>Synallaxis moesta</i> )	
Slaty Spinetail ( <i>Synallaxis brachyura</i> )	Pedro Vicente de Maldonado, Milpe Preserve and heard at Loreto Road
Dark-breasted Spinetail ( <i>Synallaxis albigularis</i> )	
Plain-crowned Spinetail ( <i>Synallaxis gujanensis</i> )	
Marañón Spinetail ( <i>Synallaxis maranonica</i> )	
White-bellied Spinetail ( <i>Synallaxis propinqua</i> )	
Blackish-headed Spinetail ( <i>Synallaxis tithys</i> )	
Rufous Spinetail ( <i>Synallaxis unirufa</i> )	Hard to see at San Isidro
Ruddy Spinetail ( <i>Synallaxis rutilans</i> )	
Chestnut-throated Spinetail ( <i>Synallaxis cherriei</i> )	
Necklaced Spinetail ( <i>Synallaxis stictothorax</i> )	
White-browed Spinetail ( <i>Hellmayrea gularis</i> )	Yanacocha
Ash-browed Spinetail ( <i>Cranioleuca curtata</i> )	
Red-faced Spinetail ( <i>Cranioleuca erythrops</i> )	Milpe Preserve
Parker's Spinetail ( <i>Cranioleuca vulpecula</i> )	
Rusty-backed Spinetail ( <i>Cranioleuca vulpina</i> )	
Line-cheeked Spinetail ( <i>Cranioleuca antisimensis</i> )	
Speckled Spinetail ( <i>Cranioleuca gutturata</i> )	
White-chinned Thistletail ( <i>Schizoeaca fuliginosa</i> )	
Mouse-colored Thistletail ( <i>Schizoeaca griseomurina</i> )	
Streak-backed Canastero ( <i>Asthenes wyatti</i> )	
Many-striped Canastero ( <i>Asthenes flammulata</i> )	Papallacta
Plain Softtail ( <i>Thripophaga fusciceps</i> )	
Rufous-fronted [Common] Thornbird ( <i>Phacellodomus rufifrons</i> )	
Spectacled Prickletail ( <i>Siptornis striaticollis</i> )	
Equatorial Graytail ( <i>Xenerpestes singularis</i> )	
Double-banded Graytail ( <i>Xenerpestes minlosi</i> )	
Orange-fronted Plushcrown ( <i>Metopothrix aurantiacus</i> )	A very odd furnariid seen at La Selva
Pearled Treerunner ( <i>Margarornis squamiger</i> )	One at Milpe Preserve, others seen at San Isidro by Mark and Tandayapa by David
Fulvous-dotted [Star-chested] Treerunner ( <i>Margarornis stellatus</i> )	
Spotted Barbtail ( <i>Premnoplex brunnescens</i> )	Tandayapa
Rusty-winged Barbtail ( <i>Premnornis guttuligera</i> )	Nono Road
Buffy [Pacific] Tuftedcheek ( <i>Pseudocolaptes lawrencii johnsoni</i> )	
Streaked Tuftedcheek ( <i>Pseudocolaptes boissonneautii</i> )	Upper Tandayapa Valley, Yanacocha
Point-tailed Palmcreeper ( <i>Berlepschia rikeri</i> )	
Chestnut-winged Hookbill ( <i>Ancistrops strigilatus</i> )	La Selva
Striped [Eastern] Woodhaunter ( <i>Hyloctistes subulatus</i> )	
Striped [Western] Woodhaunter ( <i>Hyloctistes subulatus virgatus</i> )	
Lineated Foliage-gleaner ( <i>Syndactyla subalaris</i> )	Milpe Preserve
Buff-browed Foliage-gleaner ( <i>Syndactyla rufosuperciliata</i> )	
Rufous-necked Foliage-gleaner ( <i>Syndactyla ruficollis</i> )	
Scaly-throated Foliage-gleaner ( <i>Anabacerthia variegaticeps</i> )	Milpe Preserve
Montane Foliage-gleaner ( <i>Anabacerthia striaticollis</i> )	San Isidro
Slaty-winged Foliage-gleaner ( <i>Philydor fuscipennis</i> )	
Cinnamon-rumped Foliage-gleaner ( <i>Philydor pyrrhodes</i> )	
Rufous-rumped Foliage-gleaner ( <i>Philydor erythrocerus</i> )	
Buff-fronted Foliage-gleaner ( <i>Philydor rufus</i> )	Milpe Preserve
Chestnut-winged Foliage-gleaner ( <i>Philydor erythropterus</i> )	
Rufous-tailed Foliage-gleaner ( <i>Philydor ruficaudatus</i> )	
Olive-backed Foliage-gleaner ( <i>Automolus infuscatus</i> )	
Dusky-cheeked Foliage-gleaner ( <i>Automolus dorsalis</i> )	
Buff-throated Foliage-gleaner ( <i>Automolus ochrolaemus</i> )	
Ruddy Foliage-gleaner ( <i>Automolus rubiginosus</i> )	Milpe Preserve
Chestnut-crowned Foliage-gleaner ( <i>Automolus rufipileatus</i> )	
Brown-rumped Foliage-gleaner ( <i>Automolus melanopezus</i> )	
Henna-hooded Foliage-gleaner ( <i>Hylocryptus erythrocephalus</i> )	
Flammulated Treehunter ( <i>Thripadectes flammulatus</i> )	

Species	Comments
Striped Treehunter ( <i>Thripadectes holostictus</i> )	
Black-billed Treehunter ( <i>Thripadectes melanorhynchus</i> )	
Streak-capped Treehunter ( <i>Thripadectes virgaticeps</i> )	One at Tandayapa seen by David
Uniform Treehunter ( <i>Thripadectes ignobilis</i> )	One seen at Pedro Vicente de Maldonado by David
Slender-billed Xenops ( <i>Xenops tenuirostris</i> )	
Streaked Xenops ( <i>Xenops rutilans</i> )	
Plain Xenops ( <i>Xenops minutus</i> )	Pedro Vicente de Maldonado
Rufous-tailed Xenops ( <i>Xenops milleri</i> )	
Gray-throated Leaf-tosser ( <i>Sclerurus albigularis</i> )	
Tawny-throated Leaf-tosser ( <i>Sclerurus mexicanus</i> )	
Short-billed Leaf-tosser ( <i>Sclerurus rufigularis</i> )	
Black-tailed Leaf-tosser ( <i>Sclerurus caudacutus</i> )	
Scaly-throated Leaf-tosser ( <i>Sclerurus guatemalensis</i> )	
Sharp-tailed Streamcreeper ( <i>Lochmias nematura</i> )	
<b>Woodcreepers and Scythebills</b>	
Tyrannine Woodcreeper ( <i>Dendrocincla tyrannina</i> )	
Plain-brown Woodcreeper ( <i>Dendrocincla fuliginosa</i> )	
White-chinned Woodcreeper ( <i>Dendrocincla merula</i> )	
Long-tailed Woodcreeper ( <i>Deconychura longicauda</i> )	
Spot-throated Woodcreeper ( <i>Dendrocincla stictolaema</i> )	
Olivaceous Woodcreeper ( <i>Sittasomus griseicapillus</i> )	
Wedge-billed Woodcreeper ( <i>Glyphorhynchus spirurus</i> )	Pedro Vicente de Maldonado, La Selva
Long-billed Woodcreeper ( <i>Nasica longirostris</i> )	La Selva
Cinnamon-throated Woodcreeper ( <i>Dendrexetastes rufigula</i> )	La Selva
Strong-billed Woodcreeper ( <i>Xiphocolaptes promeropirhynchus</i> )	Milpe Preserve
Northern Barred-Woodcreeper [Barred Woodcreeper] ( <i>Dendrocolaptes sanctithomae</i> )	
Amazonian Barred-Woodcreeper [Barred Woodcreeper] ( <i>Dendrocolaptes certhia</i> )	
Black-banded Woodcreeper ( <i>Dendrocolaptes picumnus</i> )	La Selva
Straight-billed Woodcreeper ( <i>Xiphorhynchus picus</i> )	
Striped Woodcreeper ( <i>Xiphorhynchus obsoletus</i> )	Fairly common and easy to hear at La Selva
Ocellated Woodcreeper ( <i>Xiphorhynchus ocellatus</i> )	
Spix's Woodcreeper ( <i>Xiphorhynchus spixii</i> )	
Buff-throated Woodcreeper ( <i>Xiphorhynchus guttatus</i> )	San Isidro, La Selva
Black-striped Woodcreeper ( <i>Xiphorhynchus lachrymosus</i> )	Pedro Vicente de Maldonado
Spotted Woodcreeper ( <i>Xiphorhynchus erythropygius</i> )	Upper Tandayapa Valley, Milpe Preserve
Olive-backed Woodcreeper ( <i>Xiphorhynchus triangularis</i> )	
Streak-headed Woodcreeper ( <i>Lepidocolaptes souleyetii</i> )	Pedro Vicente de Maldonado
Montane Woodcreeper ( <i>Lepidocolaptes lacrymiger</i> )	Fairly common in foothills at San Isidro, Tandayapa and Upper Tandayapa Valley
Lineated Woodcreeper ( <i>Lepidocolaptes albolineatus</i> )	
Greater Scythebill ( <i>Campylorhamphus pucherani</i> )	
Red-billed Scythebill ( <i>Campylorhamphus trochilirostris</i> )	
Curve-billed Scythebill ( <i>Campylorhamphus procurvoides</i> )	
Brown-billed Scythebill ( <i>Campylorhamphus pusillus</i> )	
<b>Antshrikes, Antvireos, Antwrens, Antbirds and allies</b>	
Fasciated Antshrike ( <i>Cymbilaimus lineatus</i> )	
Undulated Antshrike ( <i>Frederickena unduligera</i> )	
Great Antshrike ( <i>Taraba major</i> )	Pedro Vicente de Maldonado and heard at La Selva
Collared Antshrike ( <i>Sakesphorus bernardi</i> )	
Barred Antshrike ( <i>Thamnophilus doliatus</i> )	
Chapman's Antshrike ( <i>Thamnophilus zarumae</i> )	
Lined Antshrike ( <i>Thamnophilus tenuipunctatus</i> )	Heard only at Loreto Road
<b>Cocha Antshrike (<i>Thamnophilus praecox</i>)</b>	
Castelnau's Antshrike ( <i>Thamnophilus cryptoleucus</i> )	Seen (poorly by Mark) on a river island at La Selva
White-shouldered Antshrike ( <i>Thamnophilus aethiops</i> )	
Uniform Antshrike ( <i>Thamnophilus unicolor</i> )	Heard only at Upper Tandayapa Valley
Plain-winged Antshrike ( <i>Thamnophilus schistaceus</i> )	
Mouse-colored Antshrike ( <i>Thamnophilus murinus</i> )	
Amazonian Antshrike ( <i>Thamnophilus amazonicus</i> )	
Western Slaty-Antshrike ( <i>Thamnophilus atrinucha</i> )	Pedro Vicente de Maldonado
Northern [Eastern] Slaty-Antshrike ( <i>Thamnophilus punctatus</i> )	
Spot-winged Antshrike ( <i>Pygiptila stellaris</i> )	
Pearly Antshrike ( <i>Megascictus margaritatus</i> )	
Black Bushbird ( <i>Neotantes niger</i> )	
Russet Antshrike ( <i>Thamnistes anabatinus</i> )	
Plain Antvireo ( <i>Dysithamnus mentalis</i> )	
Spot-crowned Antvireo ( <i>Dysithamnus puncticeps</i> )	

Species	Comments
Plumbeous [White-streaked] Antvireo ( <i>Dysithamnus plumbeus leucostictus</i> )	
Bicolored Antvireo ( <i>Dysithamnus occidentalis</i> )	
Dusky-throated Antshrike ( <i>Thamnomanes ardesiacus</i> )	One seen by Mark at La Selva
Cinereous Antshrike ( <i>Thamnomanes caesius</i> )	La Selva
Pygmy Antwren ( <i>Myrmotherula brachyura</i> )	
Moustached Antwren ( <i>Myrmotherula ignota</i> )	
Moustached [Short-billed] Antwren ( <i>Myrmotherula ignota obscura</i> )	La Selva
Amazonian Streaked-Antwren ( <i>Myrmotherula surinamensis</i> )	
Pacific Antwren [Streaked-Antwren] ( <i>Myrmotherula pacifica</i> )	Pedro Vicente de Maldonado
Stripe-chested Antwren ( <i>Myrmotherula longicauda</i> )	
Plain-throated Antwren ( <i>Myrmotherula hauxwelli</i> )	La Selva
Checker-throated Antwren ( <i>Myrmotherula fulviventris</i> )	Fairly high in the canopy at Pedro Vicente de Maldonado
White-eyed Antwren ( <i>Myrmotherula leucophthalma</i> )	
Stipple-throated Antwren ( <i>Myrmotherula haematonta</i> )	
Foothill Antwren ( <i>Myrmotherula spodiota</i> )	
Ornate Antwren ( <i>Myrmotherula ornata</i> )	
Rufous-tailed Antwren ( <i>Myrmotherula erythrura</i> )	
White-flanked Antwren ( <i>Myrmotherula axillaris</i> )	La Selva
Slaty Antwren ( <i>Myrmotherula schisticolor</i> )	Upper Tandayapa Valley
Long-winged Antwren ( <i>Myrmotherula longipennis</i> )	
Rio Suno Antwren ( <i>Myrmotherula sunensis</i> )	
Plain-winged Antwren ( <i>Myrmotherula behni</i> )	
Gray Antwren ( <i>Myrmotherula menetriesii</i> )	
Banded Antbird ( <i>Dichrozona cincta</i> )	
Dugand's Antwren ( <i>Herpsilochmus dugandi</i> )	
Ancient Antwren ( <i>Herpsilochmus gentryi</i> )	
Yellow-breasted Antwren ( <i>Herpsilochmus axillaris</i> )	
Rufous-winged Antwren ( <i>Herpsilochmus rufimarginatus</i> )	
Dot-winged Antwren ( <i>Microrhopias quixensis</i> )	La Selva
Striated Antbird ( <i>Drymophila devillei</i> )	
Long-tailed Antbird ( <i>Drymophila caudata</i> )	Fairly common. Papallacta, San Isidro, Guayacomas Ridge
Rufous-rumped Antwren ( <i>Terenura callinota</i> )	
Chestnut-shouldered Antwren ( <i>Terenura humeralis</i> )	
Ash-winged Antwren ( <i>Terenura spodiopila</i> )	
Gray Antbird ( <i>Cercomacra cinerascens</i> )	Heard only at La Selva
Dusky Antbird ( <i>Cercomacra tyrannina</i> )	Pedro Vicente de Maldonado
Blackish Antbird ( <i>Cercomacra nigrescens</i> )	
Black Antbird ( <i>Cercomacra serva</i> )	
Jet Antbird ( <i>Cercomacra nigricans</i> )	Pedro Vicente de Maldonado
White-backed Fire-eye ( <i>Pyriglena leuconota</i> )	
White-browed Antbird ( <i>Myrmoborus leucophrys</i> )	
Ash-breasted Antbird ( <i>Myrmoborus lugubris</i> )	
Black-faced Antbird ( <i>Myrmoborus myotherinus</i> )	La Selva
Warbling Antbird ( <i>Hypocnemis cantator</i> )	One poorly seen by Mark at La Selva
Yellow-browed Antbird ( <i>Hypocnemis hypoxantha</i> )	
Black-chinned Antbird ( <i>Hypocnemoides melanopogon</i> )	
Black-and-white Antbird ( <i>Myrmochanes hemileucus</i> )	
Spot-winged Antbird ( <i>Schistocichla leucostigma</i> )	
Slate-colored Antbird ( <i>Schistocichla schistacea</i> )	
Silvered Antbird ( <i>Sclateria naevia</i> )	Fairly easy to see at Lago Garzacochoa at La Selva
Chestnut-backed Antbird ( <i>Myrmeciza exsul</i> )	Pedro Vicente de Maldonado
Esmeraldas Antbird ( <i>Myrmeciza nigricauda</i> )	Milpe Preserve
Stub-tailed Antbird ( <i>Myrmeciza berlepschi</i> )	
Chestnut-tailed Antbird ( <i>Myrmeciza hemimelaena</i> )	
Plumbeous Antbird ( <i>Myrmeciza hyperythra</i> )	La Selva
White-shouldered Antbird ( <i>Myrmeciza melanoceps</i> )	La Selva
Sooty Antbird ( <i>Myrmeciza fortis</i> )	
Immaculate Antbird ( <i>Myrmeciza immaculata</i> )	Coming into the hide at Tandayapa
Black-throated Antbird ( <i>Myrmeciza atrothorax</i> )	
Gray-headed Antbird ( <i>Myrmeciza griseiceps</i> )	
White-plumed Antbird ( <i>Pithys albifrons</i> )	Great looks at this stunning bird at La Selva
Bicolored Antbird ( <i>Gymnopathys leucaspis</i> )	Great looks at an ant swarm at Pedro Vicente de Maldonado
Lunulated Antbird ( <i>Gymnopathys lunulata</i> )	
Hairy-crested Antbird ( <i>Rhegmatorhina melanosticta</i> )	
Black-spotted Bare-eye ( <i>Phlegopsis nigromaculata</i> )	Fair looks at La Selva
Reddish-winged Bare-eye ( <i>Phlegopsis erythroptera</i> )	
Ocellated Antbird ( <i>Phaenostictus mcleannani</i> )	
Spotted Antbird ( <i>Hylophylax naevioides</i> )	
Spot-backed Antbird ( <i>Hylophylax naevia</i> )	

Species	Comments
Dot-backed Antbird ( <i>Hylophylax punctulata</i> )	One incessantly calling bird provided only David with visual confirmation
Scale-backed Antbird ( <i>Hylophylax poecilonota</i> )	La Selva
Wing-banded Antbird ( <i>Myrmormis torquata</i> )	
<b>Antthrushes and Antpittas</b>	
Short-tailed Antthrush ( <i>Chamaeza campanisona</i> )	
Striated [Noble] Antthrush ( <i>Chamaeza nobilis</i> )	Heard only at La Selva
Barred Antthrush ( <i>Chamaeza mollissima</i> )	
Rufous-capped Antthrush ( <i>Formicarius colma</i> )	
Black-faced Antthrush ( <i>Formicarius analis</i> )	
Black-headed Antthrush ( <i>Formicarius nigricapillus</i> )	Briefly seen at Pedro Vicente de Maldonado
Rufous-breasted Antthrush ( <i>Formicarius rufipectus</i> )	Seen at the hide at Tandayapa
Rufous-crowned Antpitta ( <i>Pittasoma rufopileatum</i> )	
Undulated Antpitta ( <i>Grallaria squamigera</i> )	One incessantly calling bird was heard only
Giant Antpitta ( <i>Grallaria gigantea</i> )	Well-seen at Tandayapa
Scaled Antpitta ( <i>Grallaria guatemalensis</i> )	Well-seen at Tandayapa
Plain-backed Antpitta ( <i>Grallaria haplonota</i> )	
Ochre-striped Antpitta ( <i>Grallaria dignissima</i> )	
Moustached Antpitta ( <i>Grallaria alleni</i> )	Tandayapa
Chestnut-crowned Antpitta ( <i>Grallaria ruficapilla</i> )	Heard only both at Guayacomos Ridge and Yanacochoa
Watkins's Antpitta ( <i>Grallaria watkinsi</i> )	
Chestnut-naped Antpitta ( <i>Grallaria nuchalis</i> )	
White-bellied Antpitta ( <i>Grallaria hypoleuca</i> )	Heard only at San Isidro
Yellow-breasted Antpitta ( <i>Grallaria flavotincta</i> )	
Rufous Antpitta ( <i>Grallaria rufula</i> )	
Tawny Antpitta ( <i>Grallaria quitensis</i> )	Papallacta and heard at Yanacochoa
Streak-chested Antpitta ( <i>Hylopezus perspicillatus</i> )	
White-lored Antpitta ( <i>Hylopezus fulviventris</i> )	
Thrush-like Antpitta ( <i>Myrmothera campanisona</i> )	La Selva
Ochre-breasted Antpitta ( <i>Grallaricula flavirostris</i> )	
Slate-crowned Antpitta ( <i>Grallaricula nana</i> )	
Crescent-faced Antpitta ( <i>Grallaricula lineifrons</i> )	
Peruvian Antpitta ( <i>Grallaricula peruviana</i> )	
<b>Gnateaters</b>	
Ash-throated Gnateater ( <i>Conopophaga peruviana</i> )	
Chestnut-crowned Gnateater ( <i>Conopophaga castaneiceps</i> )	
Chestnut-belted Gnateater ( <i>Conopophaga aurita</i> )	
<b>Tapaculos</b>	
Rusty-belted Tapaculo ( <i>Liosceles thoracicus</i> )	Seen at La Selva, incredibly
Elegant Crescent-chest ( <i>Melanopareia elegans</i> )	
Marañón Crescent-chest ( <i>Melanopareia maranonica</i> )	
Ash-colored Tapaculo ( <i>Myornis senilis</i> )	Heard only at San Isidro and Guayacomos Ridge
Blackish Tapaculo ( <i>Scytalopus latrans</i> )	
Unicolored Tapaculo ( <i>Scytalopus unicolor</i> )	Heard only at San Isidro and Yanacochoa
Long-tailed [Equatorial Rufous-vented] Tapaculo ( <i>Scytalopus micropterus</i> )	
[Northern] White-crowned Tapaculo ( <i>Scytalopus atratus</i> )	
Nariño Tapaculo ( <i>Scytalopus vicini</i> )	
Chocó Tapaculo ( <i>Scytalopus chocoensis</i> )	
Ecuadorian [El Oro] Tapaculo ( <i>Scytalopus robbinsi</i> )	
Spillmann's Tapaculo ( <i>Scytalopus spillmani</i> )	Heard only at Nono Road and Upper Tandayapa Valley
Chusquea Tapaculo ( <i>Scytalopus parkeri</i> )	
Paramo Tapaculo ( <i>Scytalopus canus</i> )	
Ocellated Tapaculo ( <i>Acropternis orthonyx</i> )	Frustratingly heard only at Yanacochoa
<b>Flycatchers and allies</b>	
Rough-legged [White-fronted] Tyrannulet ( <i>Phyllomyias zeledoni</i> )	
Sooty-headed Tyrannulet ( <i>Phyllomyias griseiceps</i> )	Pedro Vicente de Maldonado, Milpe Preserve and heard at Loreto Road
Plumbeous-crowned Tyrannulet ( <i>Phyllomyias plumbeiceps</i> )	
Black-capped Tyrannulet ( <i>Phyllomyias nigrocapillus</i> )	Nono Road, Pedro Vicente de Maldonado, Milpe Preserve
Ashy-headed Tyrannulet ( <i>Phyllomyias cinereiceps</i> )	
Tawny-rumped Tyrannulet ( <i>Phyllomyias uropygialis</i> )	
Slender-footed Tyrannulet ( <i>Zimmerius gracilipes</i> )	
Red-billed Tyrannulet ( <i>Zimmerius cinereicapillus</i> )	
Golden-faced Tyrannulet ( <i>Zimmerius chrysops</i> )	One seen by David at San Isidro
White-lored Tyrannulet ( <i>Ornithion inerme</i> )	
Brown-capped Tyrannulet ( <i>Ornithion brunneicapillum</i> )	Pedro Vicente de Maldonado
Southern Beardless-Tyrannulet ( <i>Camptostoma obsoletum</i> )	Pedro Vicente de Maldonado

Species	Comments
Mouse-colored Tyrannulet ( <i>Phaeomyias murina</i> )	La Selva
Mouse-colored [Tumbes] Tyrannulet ( <i>Phaeomyias tumbeza</i> )	
Gray-and-white Tyrannulet ( <i>Pseudelaenia leucospodia</i> )	
Yellow-crowned Tyrannulet ( <i>Tyrannulus elatus</i> )	Milpe Preserve, La Selva
Forest Elaenia ( <i>Myiopagis gaimardii</i> )	
Gray Elaenia ( <i>Myiopagis caniceps</i> )	
Pacific Elaenia ( <i>Myiopagis subplacens</i> )	
Yellow-crowned Elaenia ( <i>Myiopagis flavivertex</i> )	
Greenish Elaenia ( <i>Myiopagis viridicata</i> )	
Yellow-bellied Elaenia ( <i>Elaenia flavogaster</i> )	Loreto Road, Pedro Vicente de Maldonado, Upper Tandayapa Valley
Large Elaenia ( <i>Elaenia spectabilis</i> )	
Lesser Elaenia ( <i>Elaenia chiriquensis</i> )	
Mottle-backed Elaenia ( <i>Elaenia gigas</i> )	La Selva
Highland Elaenia ( <i>Elaenia obscura</i> )	
Sierran Elaenia ( <i>Elaenia pallatangae</i> )	
White-crested Elaenia ( <i>Elaenia albiceps</i> )	Upper Tandayapa Valley
Small-billed Elaenia ( <i>Elaenia parvirostris</i> )	
Amazonian Scrub-Flycatcher ( <i>Sublegatus obscurior</i> )	
White-throated Tyrannulet ( <i>Mecocerculus leucophrys</i> )	Yanacocha
White-tailed Tyrannulet ( <i>Mecocerculus poecilocercus</i> )	San Isidro, Nono Road, Upper Tandayapa Valley
Rufous-winged Tyrannulet ( <i>Mecocerculus calopterus</i> )	Tandayapa
White-banded Tyrannulet ( <i>Mecocerculus stictopterus</i> )	Yanacocha
Sulphur-bellied Tyrannulet ( <i>Mecocerculus minor</i> )	San Isidro
River Tyrannulet ( <i>Serpophaga hypoleuca</i> )	
Torrent Tyrannulet ( <i>Serpophaga cinerea</i> )	Fairly easy to find along torrents at San Isidro
Lesser Wagtail-Tyrant ( <i>Stigmatura napensis</i> )	
Tufted Tit-Tyrant ( <i>Anairetes parulus</i> )	Seen at Calicali. Best name ever for a bird?
Black-crested Tit-Tyrant ( <i>Anairetes nigrocristatus</i> )	
Agile Tit-Tyrant ( <i>Uromyias agilis</i> )	
Subtropical Doradito ( <i>Pseudocolopteryx acutipennis</i> )	
Tawny-crowned Pygmy-Tyrant ( <i>Euscarthmus meloryphus</i> )	
Streak-necked Flycatcher ( <i>Mionectes striaticollis</i> )	Nono Road, Milpe Preserve
Olive-striped Flycatcher ( <i>Mionectes olivaceus</i> )	Pedro Vicente de Maldonado
Ochre-bellied Flycatcher ( <i>Mionectes oleagineus</i> )	La Selva
Slaty-capped Flycatcher ( <i>Leptopogon superciliaris</i> )	Nono Road, Pedro Vicente de Maldonado, Milpe Preserve
Sepia-capped Flycatcher ( <i>Leptopogon amaurocephalus</i> )	
Rufous-breasted Flycatcher ( <i>Leptopogon rufipectus</i> )	San Isidro
Ecuadorian Tyrannulet ( <i>Phylloscartes gualaquizae</i> )	
Rufous-browed Tyrannulet ( <i>Phylloscartes superciliaris</i> )	
Marble-faced Bristle-Tyrant ( <i>Phylloscartes ophthalmicus</i> )	San Isidro, Pedro Vicente de Maldonado
Variiegated Bristle-Tyrant ( <i>Phylloscartes poecilotis</i> )	San Isidro
Spectacled Bristle-Tyrant ( <i>Phylloscartes orbitalis</i> )	
Yellow Tyrannulet ( <i>Capsiempis flaveola</i> )	
Bronze-olive Pygmy-Tyrant ( <i>Pseudotriccus pelzelni</i> )	One seen by Mark at Milpe Preserve
Rufous-headed Pygmy-Tyrant ( <i>Pseudotriccus ruficeps</i> )	
Short-tailed Pygmy-Tyrant ( <i>Myiornis ecaudatus</i> )	
Black-capped Pygmy-Tyrant ( <i>Myiornis atricapillus</i> )	
Scale-crested Pygmy-Tyrant ( <i>Lophotriccus pileatus</i> )	Pedro Vicente de Maldonado, Milpe Preserve
Double-banded Pygmy-Tyrant ( <i>Lophotriccus vitiosus</i> )	
Ringed Antpipit ( <i>Corythopsis torquata</i> )	
Rufous-crowned Tody-Tyrant ( <i>Poecilotriccus ruficeps</i> )	San Isidro
Black-and-white Tody-Tyrant ( <i>Poecilotriccus capitalis</i> )	
White-eyed Tody-Tyrant ( <i>Hemitriccus zosterops</i> )	
Johannes's Tody-Tyrant ( <i>Hemitriccus iohannis</i> )	
Black-throated Tody-Tyrant ( <i>Hemitriccus granadensis</i> )	
Buff-throated Tody-Tyrant ( <i>Hemitriccus rufigularis</i> )	
Cinnamon-breasted Tody-Tyrant ( <i>Hemitriccus cinnamomeipectus</i> )	
Black-headed Tody-Flycatcher ( <i>Todirostrum nigriceps</i> )	
Yellow-browed Tody-Flycatcher ( <i>Todirostrum chrysocrotaphum</i> )	La Selva
Golden-winged Tody-Flycatcher ( <i>Todirostrum calopteryum</i> )	
Common Tody-Flycatcher ( <i>Todirostrum cinereum</i> )	Pedro Vicente de Maldonado
Spotted Tody-Flycatcher ( <i>Todirostrum maculatum</i> )	
Rusty-fronted Tody-Flycatcher ( <i>Todirostrum latirostre</i> )	
Brownish Flycatcher [Twistwing] ( <i>Cnipodectes subbrunneus</i> )	
Rufous-tailed Flatbill ( <i>Ramphotrigon ruficauda</i> )	
Dusky-tailed Flatbill ( <i>Ramphotrigon fuscicauda</i> )	
Large-headed Flatbill ( <i>Ramphotrigon megacephala</i> )	
Pacific Flatbill ( <i>Rhynchocyclus pacificus</i> )	
Fulvous-breasted Flatbill ( <i>Rhynchocyclus fulvipectus</i> )	
Olivaceous Flatbill ( <i>Rhynchocyclus olivaceus</i> )	

Species	Comments
Yellow-olive Flycatcher ( <i>Tolmomyias sulphureus</i> )	
Yellow-margined Flycatcher ( <i>Tolmomyias assimilis</i> )	La Selva
Orange-eyed Flycatcher ( <i>Tolmomyias traylori</i> )	
Gray-crowned Flycatcher [Flatbill] ( <i>Tolmomyias poliocephalus</i> )	
Yellow-breasted Flycatcher [Olive-faced Flatbill] ( <i>Tolmomyias flaviventris</i> )	
White-throated Spadebill ( <i>Platyrinchus mystaceus</i> )	
White-crested Spadebill ( <i>Platyrinchus platyrhynchos</i> )	
Golden-crowned Spadebill ( <i>Platyrinchus coronatus</i> )	
Cinnamon-crested Spadebill ( <i>Platyrinchus saturatus</i> )	
Yellow-throated Spadebill ( <i>Platyrinchus flavigularis</i> )	
Royal Flycatcher [Amazonian Royal-Flycatcher] ( <i>Onychorhynchus coronatus</i> )	
Royal Flycatcher [Pacific Royal-Flycatcher] ( <i>Onychorhynchus coronatus occidentalis</i> )	
Cinnamon Tyrant-Manakin [Tyrant] [Neopipo] ( <i>Neopipo cinnamomea</i> )	
Ruddy-tailed Flycatcher ( <i>Terenotriccus erythrus</i> )	
Cinnamon Flycatcher ( <i>Pyrrhomyias cinnamomea</i> )	Common at San Isidro, Nono Road, Pedro Vicente de Maldonado
Ornate Flycatcher ( <i>Myiorticcus ornatus</i> )	At least two at Milpe Preserve. Stunning bird.
Tawny-breasted Flycatcher ( <i>Myiobius villosus</i> )	
Black-tailed Flycatcher ( <i>Myiobius atricaudus</i> )	
Sulphur-rumped Flycatcher ( <i>Myiobius barbatus</i> )	
Flavescent Flycatcher ( <i>Myiophobus flavicans</i> )	
Orange-crested Flycatcher ( <i>Myiophobus phoenicomitra</i> )	
Bran-colored Flycatcher ( <i>Myiophobus fasciatus</i> )	
Olive-chested Flycatcher ( <i>Myiophobus cryptoxanthus</i> )	
Handsome Flycatcher ( <i>Myiophobus pulcher</i> )	
Orange-banded Flycatcher ( <i>Myiophobus lintoni</i> )	
Roraiman Flycatcher ( <i>Myiophobus roraimae</i> )	
Tufted Flycatcher [Common Tufted-Flycatcher] ( <i>Mitrephanes phaeocercus</i> )	
Eastern Wood-Pewee ( <i>Contopus virens</i> )	East slope. San Isidro, La Selva
Western Wood-Pewee ( <i>Contopus sordidulus</i> )	One each seen by David at Pedro Vicente de Maldonado and Milpe Preserve on the west slope
Tropical Pewee ( <i>Contopus cinereus</i> )	
Blackish Pewee ( <i>Contopus nigrescens</i> )	
Smoke-colored Pewee ( <i>Contopus fumigatus</i> )	Very common. San Isidro, Nono Road, Tandayapa, Pedro Vicente de Maldonado
Olive-sided Flycatcher ( <i>Contopus borealis</i> )	San Isidro
Acadian Flycatcher ( <i>Empidonax virescens</i> )	
Willow Flycatcher ( <i>Empidonax traillii</i> )	
Alder Flycatcher ( <i>Empidonax alnorum</i> )	
Euler's Flycatcher ( <i>Lathrotriccus eulerei</i> )	One seen by David at La Selva
Gray-breasted Flycatcher ( <i>Lathrotriccus griseipectus</i> )	
Fuscous Flycatcher ( <i>Cnemotriccus fuscatus</i> )	
Black Phoebe ( <i>Sayornis nigricans</i> )	Papallacta and San Isidro
Vermilion Flycatcher ( <i>Pyrocephalus rubinus</i> )	
Brown-backed Chat-Tyrant ( <i>Ochthoeca fumicolor</i> )	Papallacta
White-browed Chat-Tyrant ( <i>Ochthoeca leucophrys</i> )	
Rufous-breasted Chat-Tyrant ( <i>Ochthoeca rufipectoralis</i> )	
Slaty-backed Chat-Tyrant ( <i>Ochthoeca cinnamomeiventris</i> )	Nono Road, Pedro Vicente de Maldonado, Milpe Preserve
Crowned Chat-Tyrant ( <i>Silvicultrix frontalis</i> )	Yanacocho
Jelski's Chat-Tyrant ( <i>Silvicultrix jelskii</i> )	
Yellow-bellied Chat-Tyrant ( <i>Silvicultrix diadema</i> )	Upper Tandayapa Valley
Drab Water-Tyrant ( <i>Ochthornis littoralis</i> )	Very low along the water at La Selva
Red-rumped Bush-Tyrant ( <i>Cnemarchus erythropygius</i> )	
Streak-throated Bush-Tyrant ( <i>Myiotheretes striaticollis</i> )	
Smoky Bush-Tyrant ( <i>Myiotheretes fumigatus</i> )	Nono Road
Cliff Flycatcher ( <i>Hirundinea ferruginea</i> )	Common along cliffs at Loreto Road
Black-billed Shrike-Tyrant ( <i>Agriornis montana</i> )	Papallacta
White-tailed Shrike-Tyrant ( <i>Agriornis andicola</i> )	
Plain-capped [Paramo] Ground-Tyrant ( <i>Muscisaxicola alpinus</i> )	Papallacta
White-browed Ground-Tyrant ( <i>Muscisaxicola albilora</i> )	
Dark-faced Ground-Tyrant ( <i>Muscisaxicola macloviana</i> )	
Spot-billed Ground-Tyrant ( <i>Muscisaxicola maculirostris</i> )	
Little Ground-Tyrant ( <i>Muscisaxicola fluviatilis</i> )	
Short-tailed Field-Tyrant ( <i>Muscigralla brevicauda</i> )	
Rufous-tailed Tyrant ( <i>Knipolegus poecilurus</i> )	
Amazonian Black-Tyrant ( <i>Knipolegus poecilocercus</i> )	
Riverside Tyrant ( <i>Knipolegus orenocensis</i> )	
Pied Water-Tyrant ( <i>Fluvicola pica</i> )	

Species	Comments
Masked Water-Tyrant ( <i>Fluvicola nengeta</i> )	Pedro Vicente de Maldonado
White-headed Marsh-Tyrant ( <i>Arundinicola leucocephala</i> )	
Long-tailed Tyrant ( <i>Colonia colonus</i> )	
Citron-bellied Attila ( <i>Attila citriniventris</i> )	
Bright-rumped Attila ( <i>Attila spadiceus</i> )	Seen at Milpe Preserve; heard at La Selva
Dull-capped [White-eyed] Attila ( <i>Attila bolivianus</i> )	
Cinnamon Attila ( <i>Attila cinnamomeus</i> )	La Selva
Ochraceous Attila ( <i>Attila torridus</i> )	
Grayish Mourner ( <i>Rhytipterna simplex</i> )	
Rufous Mourner ( <i>Rhytipterna holerythra</i> )	
Sirystes ( <i>Sirystes sibilator</i> )	La Selva
Dusky-capped Flycatcher ( <i>Myiarchus tuberculifer</i> )	Seen at Pedro Vicente de Maldonado, Milpe Preserve, La Selva and heard at Tandayapa
Swainson's Flycatcher ( <i>Myiarchus swainsoni</i> )	
Short-crested Flycatcher ( <i>Myiarchus ferox</i> )	
Pale-edged Flycatcher ( <i>Myiarchus cephalotes</i> )	Replaces Dusky-capped Flycatcher in the subtropics on the east slope at San Isidro
Sooty-crowned Flycatcher ( <i>Myiarchus phaeocephalus</i> )	
Great Crested Flycatcher ( <i>Myiarchus crinitus</i> )	
Great Kiskadee ( <i>Pitangus sulphuratus</i> )	Conspicuous at La Selva
Lesser Kiskadee ( <i>Philohydor lictor</i> )	Less common than Greater Kiskadee at La Selva
Boat-billed Flycatcher ( <i>Megarynchus pitangua</i> )	Loreto Road, Pedro Vicente de Maldonado, La Selva
Rusty-margined Flycatcher ( <i>Myiozetetes cayanensis</i> )	One at Pedro Vicente de Maldonado
Social Flycatcher ( <i>Myiozetetes similis</i> )	Pedro Vicente de Maldonado and La Selva
Gray-capped Flycatcher ( <i>Myiozetetes granadensis</i> )	La Selva
Dusky-chested Flycatcher ( <i>Myiozetetes luteiventris</i> )	
Lemon-browed Flycatcher ( <i>Conopias cinchoneti</i> )	
White-ringed Flycatcher ( <i>Conopias albovittata</i> )	
White-ringed [Yellow-throated] Flycatcher ( <i>Conopias albovittatus parva</i> )	
Three-striped Flycatcher ( <i>Conopias trivirgata</i> )	
Sulphur-bellied Flycatcher ( <i>Myiodynastes luteiventris</i> )	La Selva
Streaked Flycatcher ( <i>Myiodynastes maculatus</i> )	
Baird's Flycatcher ( <i>Myiodynastes bairdii</i> )	
Golden-crowned Flycatcher ( <i>Myiodynastes chrysocephalus</i> )	San Isidro, Tandayapa, Pedro Vicente de Maldonado
Piratic Flycatcher ( <i>Legatus leucophaeus</i> )	La Selva
Crowned Slaty-Flycatcher ( <i>Griseotyrannus aurantioatrocristatus</i> )	
Variiegated Flycatcher ( <i>Empidonomus varius</i> )	
Sulphury Flycatcher ( <i>Tyrannopsis sulphurea</i> )	
Fork-tailed Flycatcher ( <i>Tyrannus savana</i> )	
Eastern Kingbird ( <i>Tyrannus tyrannus</i> )	
Tropical Kingbird ( <i>Tyrannus melancholicus</i> )	Ubiquitous at lower elevations. Guango, San Isidro, Guayacomos Ridge, Nono Road
White-throated Kingbird ( <i>Tyrannus albogularis</i> )	
Snowy-throated Kingbird ( <i>Tyrannus niveigularis</i> )	
Gray Kingbird ( <i>Tyrannus dominicensis</i> )	
Green-backed [Yellow-cheeked] Becard ( <i>Pachyrampus viridis xanthogenys</i> )	
Barred Becard ( <i>Pachyrampus versicolor</i> )	One seen by Mark at Upper Tandayapa Valley
Slaty Becard ( <i>Pachyrampus spodiurus</i> )	
Cinereous Becard ( <i>Pachyrampus rufus</i> )	
Chestnut-crowned Becard ( <i>Pachyrampus castaneus</i> )	
Cinnamon Becard ( <i>Pachyrampus cinnamomeus</i> )	Pedro Vicente de Maldonado, Los Bancos, Milpe Preserve
White-winged Becard ( <i>Pachyrampus polychopterus</i> )	Upper Tandayapa Valley and another seen by Mark at Tandayapa
Black-capped Becard ( <i>Pachyrampus marginatus</i> )	
Black-and-white Becard ( <i>Pachyrampus albogriseus</i> )	One seen by Mark at Pedro Vicente de Maldonado
One-colored Becard ( <i>Pachyrampus homochrous</i> )	Pedro Vicente de Maldonado, Milpe Preserve
Crested Becard ( <i>Pachyrampus validus</i> )	
Pink-throated Becard ( <i>Pachyrampus minor</i> )	
Black-tailed Tityra ( <i>Tityra cayana</i> )	La Selva
Masked Tityra ( <i>Tityra semifasciata</i> )	Pedro Vicente de Maldonado
Black-crowned Tityra ( <i>Tityra inquisitor</i> )	La Selva
<b>Cotingas and allies</b>	
Sharpbill ( <i>Oxyruncus cristatus</i> )	
Red-crested Cotinga ( <i>Ampelion rubrocrystatus</i> )	Papallacta and heard at San Isidro
Chestnut-crested Cotinga ( <i>Ampelion rufaxilla</i> )	
Chestnut-bellied Cotinga ( <i>Doliornis remseni</i> )	
Green-and-black Fruiteater ( <i>Pipreola riefferii</i> )	Upper Tandayapa Valley
Barred Fruiteater ( <i>Pipreola arcuata</i> )	

Species	Comments
Black-chested Fruiteater ( <i>Pipreola lubomirskii</i> )	
Orange-breasted Fruiteater ( <i>Pipreola jucunda</i> )	
Scarlet-breasted Fruiteater ( <i>Pipreola frontalis</i> )	
Fiery-throated Fruiteater ( <i>Pipreola chlorolepidota</i> )	
Scaled Fruiteater ( <i>Ampelioides tschudii</i> )	
White-browed Purpletuft ( <i>Iodopleura isabellae</i> )	Incredible spot by Rodrigo from the tower at La Selva
Shrike-like Cotinga [Elegant Mourner] ( <i>Laniisoma elegans</i> )	
Cinereous Mourner ( <i>Laniocera hypopyrrha</i> )	
Speckled Mourner ( <i>Laniocera rufescens</i> )	
Olivaceous Piha ( <i>Lipaugus cryptolophus</i> )	Tandayapa
Gray-tailed Piha ( <i>Lipaugus subalaris</i> )	
Dusky Piha ( <i>Lipaugus fuscocinereus</i> )	One seen by Mark at Guango
Screaming Piha ( <i>Lipaugus vociferans</i> )	Very common if hard to see at La Selva
Rufous Piha ( <i>Lipaugus unirufus</i> )	
Purple-throated Cotinga ( <i>Porphyrolaema porphyrolaema</i> )	La Selva
Blue Cotinga ( <i>Cotinga nattererii</i> )	
Plum-throated Cotinga ( <i>Cotinga maynana</i> )	La Selva
Spangled Cotinga ( <i>Cotinga cayana</i> )	Great looks from the tower at La Selva
Pompadour Cotinga ( <i>Xipholena punicea</i> )	
Black-tipped Cotinga ( <i>Carpodectes hopkei</i> )	
Bare-necked Fruitcrow ( <i>Gymnoderus foetidus</i> )	
Purple-throated Fruitcrow ( <i>Querula purpurata</i> )	La Selva
Red-ruffed Fruitcrow ( <i>Pyroderus scutatus</i> )	
Amazonian Umbrellabird ( <i>Cephalopterus ornatus</i> )	Several along the Rio Napo at La Selva
Long-wattled Umbrellabird ( <i>Cephalopterus penduliger</i> )	
Black-necked Red-Cotinga ( <i>Phoenicircus nigricollis</i> )	
Andean Cock-of-the-rock ( <i>Rupicola peruviana</i> )	Several males at a lek at Nono Road; also heard at Tandayapa
<b>Manakins and Schiffornises</b>	
Golden-headed Manakin ( <i>Pipra erythrocephala</i> )	La Selva
Red-capped Manakin ( <i>Pipra mentalis</i> )	
White-crowned Manakin ( <i>Pipra pipra</i> )	
Blue-rumped Manakin ( <i>Pipra isidorei</i> )	
Blue-crowned Manakin ( <i>Pipra coronata</i> )	La Selva
Wire-tailed Manakin ( <i>Pipra filicauda</i> )	Nicely seen at La Selva
Blue-backed Manakin ( <i>Chiroxiphia pareola</i> )	
Golden-winged Manakin ( <i>Masius chrysopterus</i> )	Milpe Preserve and heard at Tandayapa
White-bearded Manakin ( <i>Manacus manacus</i> )	Pedro Vicente de Maldonado
Striped Manakin ( <i>Machaeropterus regulus</i> )	La Selva
Club-winged Manakin ( <i>Machaeropterus deliciosus</i> )	Milpe Preserve
Green Manakin ( <i>Chloropipo holochlora</i> )	La Selva
Yellow-headed Manakin ( <i>Chloropipo flavicapilla</i> )	
Jet Manakin ( <i>Chloropipo unicolor</i> )	
Orange-crowned [-crested] Manakin ( <i>Heterocercus aurantiivertex</i> )	
Dwarf Tyrant-Manakin ( <i>Tyrannetes stolzmanni</i> )	La Selva
Wing-barred Piprites ( <i>Piprites chloris</i> )	
Sapayoa [Broad-billed Sapayoa] ( <i>Sapayoa aenigma</i> )	
Thrush-like Schiffornis [Mourner] ( <i>Schiffornis turdinus</i> )	
Várzea Schiffornis [Mourner] ( <i>Schiffornis major</i> )	
<b>Jays</b>	
Black-collared Jay ( <i>Cyanolyca armillata</i> )	
Turquoise Jay ( <i>Cyanolyca turcosa</i> )	Fairly common in subtropics at Guango, Nono Road and heard at Upper Tandayapa Valley
Beautiful Jay ( <i>Cyanolyca pulchra</i> )	
Violaceous Jay ( <i>Cyanocorax violaceus</i> )	La Selva
White-tailed Jay ( <i>Cyanocorax mystacalis</i> )	
Green Jay (or Inca Jay) ( <i>Cyanocorax yncas</i> )	Guango, San Isidro
<b>Vireos, Greenlets and allies</b>	
Rufous-browed Peppershrike ( <i>Cyclarhis gujanensis</i> )	
Black-billed Peppershrike ( <i>Cyclarhis nigrirostris</i> )	
Slaty-capped Shrike-Vireo ( <i>Vireolanius leucotis</i> )	
Red-eyed Vireo ( <i>Vireo olivaceus</i> )	Pedro Vicente de Maldonado, Upper Tandayapa Valley and another by Mark at San Isidro
Yellow-green Vireo ( <i>Vireo flavoviridis</i> )	La Selva
Brown-capped Vireo ( <i>Vireo leucophrys</i> )	Widespread at Guayacomas Ridge, Nono Road, Tandayapa, Pedro Vicente de Maldonado
Rufous-naped Greenlet ( <i>Hylophilus semibrunneus</i> )	
Dusky-capped Greenlet ( <i>Hylophilus hypoxanthus</i> )	

Species	Comments
Lesser Greenlet ( <i>Hylophilus decurtatus</i> )	
Olivaceous Greenlet ( <i>Hylophilus olivaceus</i> )	
Lemon-chested Greenlet ( <i>Hylophilus thoracicus</i> )	
Tawny-crowned Greenlet ( <i>Hylophilus ochraceiceps</i> )	
<b>Thrushes</b>	
Andean Solitaire ( <i>Myadestes ralloides</i> )	Nono Road, Los Bancos, Upper Tandayapa Valley
Rufous-brown Solitaire ( <i>Cichlopsis leucogenys</i> )	
Black Solitaire ( <i>Entomodestes coracinus</i> )	
Slaty-backed Nightingale-Thrush ( <i>Catharus fuscater</i> )	At least two heard only at dusk at San Isidro
Spotted Nightingale-Thrush ( <i>Catharus dryas</i> )	
Gray-cheeked Thrush ( <i>Catharus minimus</i> )	
Swainson's Thrush ( <i>Catharus ustulatus</i> )	Nono Road, Pedro Vicente de Maldonado, Los Bancos, La Selva
Pale-eyed Thrush ( <i>Platycichla leucops</i> )	Guayacomos Ridge and numerous heard at San Isidro
Chiguanco Thrush ( <i>Turdus chiguanco</i> )	
Great Thrush ( <i>Turdus fuscater</i> )	Ubiquitous at Quito, Papallacta, Guango, Yanacocha
Glossy-black Thrush ( <i>Turdus serranus</i> )	Fairly common at Nono Road, Upper Tandayapa Valley, Yanacocha
Chestnut-bellied Thrush ( <i>Turdus fulviventris</i> )	
Black-billed Thrush ( <i>Turdus ignobilis</i> )	The most common thrush at La Selva
Plumbeous-backed Thrush ( <i>Turdus reevei</i> )	
Marañón Thrush ( <i>Turdus maranonicus</i> )	
Lawrence's Thrush ( <i>Turdus lawrencii</i> )	Heard only at La Selva
Pale-vented Thrush ( <i>Turdus obsoletus</i> )	
Hauxwell's Thrush ( <i>Turdus hauxwelli</i> )	Briefly seen at La Selva
Bare-eyed Robin [Ecuadorian Thrush] ( <i>Turdus nudigenis maculirostris</i> )	Los Bancos
White-necked Robin [Thrush] ( <i>Turdus albicollis</i> )	
White-throated Robin [Dagua Thrush] ( <i>Turdus assimilis daguae</i> )	
Slaty Thrush [Andean Slaty-Thrush] ( <i>Turdus nigriceps</i> )	
<b>Mockingbirds</b>	
Tropical Mockingbird ( <i>Mimus gilvus</i> )	
Long-tailed Mockingbird ( <i>Mimus longicaudatus</i> )	
<b>Dipper</b>	
White-capped Dipper ( <i>Cinclus leucocephalus</i> )	Interestingly found along Loreto Road in a suitable torrent
<b>Martins and Swallows</b>	
Brown-chested Martin ( <i>Progne tapera</i> )	
Purple Martin ( <i>Progne subis</i> )	
Southern Martin ( <i>Progne elegans</i> )	
Gray-breasted Martin ( <i>Progne chalybea</i> )	
White-winged Swallow ( <i>Tachycineta albiventer</i> )	Fairly easy to find at La Selva
Tumbes Swallow ( <i>Tachycineta stolzmanni</i> )	
Tree Swallow ( <i>Tachycineta bicolor</i> )	
Brown-bellied Swallow ( <i>Notiochelidon murina</i> )	Common at Papallacta and Yanacocha
Blue-and-white Swallow ( <i>Notiochelidon cyanoleuca</i> )	Lower down than Brown-bellied Swallow. Quito, Papallacta, San Isidro
Pale-footed Swallow ( <i>Notiochelidon flavipes</i> )	
White-banded Swallow ( <i>Atticora fasciata</i> )	La Selva
White-thighed Swallow ( <i>Neochelidon tibialis</i> )	Pedro Vicente de Maldonado, Milpe Preserve
Southern Rough-winged Swallow ( <i>Stelgidopteryx ruficollis</i> )	Loreto Road, Pedro Vicente de Maldonado, Milpe Preserve, La Selva
Bank Swallow [Sand Martin] ( <i>Riparia riparia</i> )	
Barn Swallow ( <i>Hirundo rustica</i> )	
Cliff Swallow ( <i>Hirundo pyrrhonota</i> )	
Chestnut-collared Swallow ( <i>Hirundo rufocollaris</i> )	
<b>Wrens</b>	
Black-capped Donacobius ( <i>Donacobius atricapillus</i> )	
Band-backed Wren ( <i>Campylorhynchus zonatus</i> )	Pedro Vicente de Maldonado
Fasciated Wren ( <i>Campylorhynchus fasciatus</i> )	
Thrush-like Wren ( <i>Campylorhynchus turdinus</i> )	Easy at La Selva
Gray-mantled Wren ( <i>Odontorchilus branickii</i> )	
Rufous Wren ( <i>Cinnycerthia unirufa</i> )	Yanacocha. Interesting, very colonial species.
Sharpe's [Sepia-brown] Wren ( <i>Cinnycerthia olivascens</i> )	Upper Tandayapa Valley
Sedge [Short-billed Marsh] Wren ( <i>Cistothorus platensis</i> )	
Plain-tailed Wren ( <i>Thryothorus euophrys</i> )	Nono Road, Upper Tandayapa Valley and heard at San Isidro
Whiskered Wren ( <i>Thryothorus mystacalis</i> )	
Coraya Wren ( <i>Thryothorus coraya</i> )	
Speckle-breasted Wren ( <i>Thryothorus sclateri</i> )	
Bay Wren ( <i>Thryothorus nigricapillus</i> )	Pedro Vicente de Maldonado
Stripe-throated Wren ( <i>Thryothorus leucopogon</i> )	

Species	Comments
Buff-breasted Wren ( <i>Thryothorus leucotis</i> )	
Superciliated Wren ( <i>Thryothorus superciliaris</i> )	
House Wren [Southern House-Wren] ( <i>Troglodytes aedon musculus</i> )	Milpe Preserve and another seen by David at Tandayapa
Mountain Wren ( <i>Troglodytes solstitialis</i> )	San Isidro and another seen by David at Guango
White-breasted Wood-Wren ( <i>Henicorhina leucosticta</i> )	La Selva
Gray-breasted Wood-Wren ( <i>Henicorhina leucophrys</i> )	Nono Road and heard many other locations including San Isidro
Bar-winged Wood-Wren ( <i>Henicorhina leucoptera</i> )	
Scaly-breasted [Southern Nightingale-] Wren ( <i>Microcerculus marginatus</i> )	Pedro Vicente de Maldonado, Milpe Preserve, La Selva
Wing-banded Wren ( <i>Microcerculus bambla</i> )	
Chestnut-breasted Wren ( <i>Cyphorhinus thoracicus</i> )	
Song Wren ( <i>Cyphorhinus phaeocephalus</i> )	
Musician Wren ( <i>Cyphorhinus aradus</i> )	
<b>Gnatwrens and Gnatcatchers</b>	
Half-collared [Tawny-faced] Gnatwren ( <i>Microbates cinereiventris</i> )	
Collared Gnatwren ( <i>Microbates collaris</i> )	
Long-billed Gnatwren ( <i>Ramphocaenus melanurus</i> )	La Selva
Tropical Gnatcatcher ( <i>Polioptila plumbea</i> )	Pedro Vicente de Maldonado
Slate-throated Gnatcatcher ( <i>Polioptila schistaceigula</i> )	
<b>Pipit</b>	
Paramo Pipit ( <i>Anthus bogotensis</i> )	
<b>New World Warblers</b>	
Black-and-white Warbler ( <i>Mniotilta varia</i> )	
Golden-winged Warbler ( <i>Vermivora chrysoptera</i> )	
Tennessee Warbler ( <i>Vermivora peregrina</i> )	
Tropical Parula ( <i>Parula pitiayumi</i> )	Very common. San Isidro, Nono Road, Los Bancos
Yellow Warbler ( <i>Dendroica aestiva</i> )	
Yellow [Mangrove] Warbler ( <i>Dendroica erithachorides</i> )	
Chestnut-sided Warbler ( <i>Dendroica pensylvanica</i> )	
Cerulean Warbler ( <i>Dendroica cerulea</i> )	
Black-throated Green Warbler ( <i>Dendroica virens</i> )	
Blackburnian Warbler ( <i>Dendroica fusca</i> )	Bushels at Guango, San Isidro, Guayacomos Ridge and other locations
Blackpoll Warbler ( <i>Dendroica striata</i> )	La Selva
Bay-breasted Warbler ( <i>Dendroica castanea</i> )	
American Redstart ( <i>Setophaga ruticilla</i> )	Nono Road and one seen by Mark at Guayacomos Ridge
Northern Waterthrush ( <i>Seiurus noveboracensis</i> )	
Ovenbird ( <i>Seiurus aurocapillus</i> )	
Prothonotary Warbler ( <i>Protonotaria citrea</i> )	
Olive-crowned Yellowthroat ( <i>Geothlypis semiflava</i> )	
Masked [Black-lored] Yellowthroat ( <i>Geothlypis aequinoctialis auricularis</i> )	
Connecticut Warbler ( <i>Oporornis agilis</i> )	
Mourning Warbler ( <i>Oporornis philadelphia</i> )	
Canada Warbler ( <i>Wilsonia canadensis</i> )	Many at San Isidro and Guayacomos Ridge
Slate-throated Redstart [Whitestart] ( <i>Myioborus miniatus</i> )	San Isidro, Nono Road and other locations
Spectacled Redstart [Whitestart] ( <i>Myioborus melanocephalus</i> )	Seemingly at higher altitudes at Nono Road, Upper Tandayapa Valley and Yanacochoa
Golden-bellied [Chocó] Warbler ( <i>Basileuterus chrysogaster chlorophrys</i> )	Milpe Preserve
Three-striped Warbler ( <i>Basileuterus tristriatus</i> )	Tandayapa
Three-banded Warbler ( <i>Basileuterus trifasciatus</i> )	
Citrine Warbler ( <i>Basileuterus luteoviridis</i> )	
Black-crested Warbler ( <i>Basileuterus nigrocristatus</i> )	Papallacta, San Isidro and heard along Loreto Road
Russet-crowned Warbler ( <i>Basileuterus coronatus</i> )	Nono Road, Tandayapa
Gray-and-gold Warbler ( <i>Basileuterus fraseri</i> )	
Buff-rumped Warbler ( <i>Basileuterus fulvicauda</i> )	Pedro Vicente de Maldonado
<b>Tanagers and allies</b>	
Bananaquit ( <i>Coereba flaveola</i> )	Tandayapa, Pedro Vicente de Maldonado
Blue-naped Chlorophonia ( <i>Chlorophonia cyanea</i> )	
Yellow-collared Chlorophonia ( <i>Chlorophonia flavirostris</i> )	
Chestnut-breasted Chlorophonia ( <i>Chlorophonia pyrrhophrys</i> )	
Golden-rumped Euphonia ( <i>Euphonia cyanocephala</i> )	Scrub at Calicali
Orange-bellied Euphonia ( <i>Euphonia xanthogaster</i> )	Very common. San Isidro, Nono Road, Pedro Vicente de Maldonado, Los Bancos
White-vented Euphonia ( <i>Euphonia minuta</i> )	
Purple-throated Euphonia ( <i>Euphonia chlorotica</i> )	
Orange-crowned Euphonia ( <i>Euphonia saturata</i> )	

Species	Comments
Thick-billed Euphonia ( <i>Euphonia lanirostris</i> )	Nono Road, Los Bancos, Pedro Vicente de Maldonado
Fulvous-vented Euphonia ( <i>Euphonia fulvicrissa</i> )	
Rufous-bellied Euphonia ( <i>Euphonia rufiventris</i> )	La Selva
Bronze-green Euphonia ( <i>Euphonia mesochrysa</i> )	
Golden-bellied [White-lored] Euphonia ( <i>Euphonia chrysopasta</i> )	La Selva
Chestnut-vented Conebill ( <i>Conirostrum speciosum</i> )	
Bicolored Conebill ( <i>Conirostrum bicolor</i> )	
Cinereous Conebill ( <i>Conirostrum cinereum</i> )	Yanacocha
Blue-backed Conebill ( <i>Conirostrum sitticolor</i> )	Yanacocha
Capped Conebill ( <i>Conirostrum albifrons</i> )	Nono Road, Upper Tandayapa Valley and another seen by David at Guayacomos Ridge
Giant Conebill ( <i>Oreomanes fraseri</i> )	
Tit-like Dacnis ( <i>Xenodacnis parina</i> )	
Bluish Flowerpiercer ( <i>Diglossa caerulescens</i> )	San Isidro
Masked Flowerpiercer ( <i>Diglossa cyanea</i> )	Guango, San Isidro, Yanacocha
Deep-blue [Golden-eyed] Flowerpiercer ( <i>Diglossa glauca</i> )	
Indigo Flowerpiercer ( <i>Diglossa indigotica</i> )	
Glossy Flowerpiercer ( <i>Diglossa lafresnayii</i> )	Ubiquitous at Yanacocha
Black Flowerpiercer ( <i>Diglossa humeralis</i> )	Lower down than Glossy Flowerpiercer. Papallacta, Yanacocha
White-sided Flowerpiercer ( <i>Diglossa albilatera</i> )	San Isidro, Nono Road, Upper Tandayapa Valley
Rusty Flowerpiercer ( <i>Diglossa sittoides</i> )	
Short-billed Honeycreeper ( <i>Cyanerpes nitidus</i> )	
Purple Honeycreeper ( <i>Cyanerpes caeruleus</i> )	Pedro Vicente de Maldonado, La Selva
Red-legged Honeycreeper ( <i>Cyanerpes cyaneus</i> )	
Green Honeycreeper ( <i>Chlorophanes spiza</i> )	La Selva, Los Bancos, and another seen by Mark at San Isidro
Golden-collared Honeycreeper ( <i>Iridophanes pulcherrima</i> )	
Blue Dacnis ( <i>Dacnis cayana</i> )	La Selva
Black-faced Dacnis ( <i>Dacnis lineata</i> )	La Selva
Black-faced [Yellow-tufted] Dacnis ( <i>Dacnis lineata egregia</i> )	Pedro Vicente de Maldonado
Yellow-bellied Dacnis ( <i>Dacnis flaviventer</i> )	
Scarlet-thighed Dacnis ( <i>Dacnis venusta</i> )	
Scarlet-breasted Dacnis ( <i>Dacnis berlepschi</i> )	One at Pedro Vicente de Maldonado. Stunning bird.
White-bellied Dacnis ( <i>D albiventris</i> )	
Fawn-breasted Tanager ( <i>Pipraeidea melanonota</i> )	San Isidro, Milpe Preserve
Orange-eared Tanager ( <i>Chlorochrysa calliparaea</i> )	
Glistening-green Tanager ( <i>Chlorochrysa phoenicotis</i> )	
Opal-rumped Tanager ( <i>Tangara velia</i> )	
Opal-crowned Tanager ( <i>Tangara callophrys</i> )	La Selva
Paradise Tanager ( <i>Tangara chilensis</i> )	La Selva
Green-and-gold Tanager ( <i>Tangara schrankii</i> )	La Selva
Blue-whiskered Tanager ( <i>Tangara johannae</i> )	
Spotted Tanager ( <i>Tangara punctata</i> )	
Yellow-bellied Tanager ( <i>Tangara xanthogastra</i> )	La Selva
Rufous-throated Tanager ( <i>Tangara rufigula</i> )	Los Bancos, Milpe Preserve
Golden Tanager ( <i>Tangara arthus</i> )	Nono Road, Los Bancos, Milpe Preserve
Emerald Tanager ( <i>Tangara florida</i> )	Los Bancos
Silver-throated Tanager ( <i>Tangara icterocephala</i> )	Los Bancos
Saffron-crowned Tanager ( <i>Tangara xanthocephala</i> )	San Isidro
Golden-eared Tanager ( <i>Tangara chrysolis</i> )	
Flame-faced Tanager ( <i>Tangara parzudakii</i> )	Common and lovely. San Isidro, Guayacomos Ridge, Nono Road, Los Bancos
Blue-browed Tanager ( <i>Tangara cyanotis</i> )	
Metallic-green Tanager ( <i>Tangara labradorides</i> )	Nono Road. Wow.
Blue-necked Tanager ( <i>Tangara cyanicollis</i> )	Pedro Vicente de Maldonado
Masked Tanager ( <i>Tangara nigrocincta</i> )	
Golden-hooded Tanager ( <i>Tangara larvata</i> )	
Golden-naped Tanager ( <i>Tangara rufivertex</i> )	One seen by David at San Isidro and another seen by Mark at Upper Tandayapa Valley
Turquoise Tanager ( <i>Tangara mexicana</i> )	La Selva. Double wow.
Gray-and-gold Tanager ( <i>Tangara palmeri</i> )	Pedro Vicente de Maldonado
Bay-headed Tanager ( <i>Tangara gyrola</i> )	Milpe Preserve and another seen by Mark at Pedro Vicente de Maldonado
Rufous-winged Tanager ( <i>Tangara lavinia</i> )	
Scrub Tanager ( <i>Tangara vitriolina</i> )	
Beryl-spangled Tanager ( <i>Tangara nigroviridis</i> )	Common. San Isidro, Nono Road, Milpe Preserve
Blue-and-black Tanager ( <i>Tangara vassorii</i> )	Upper Tandayapa Valley
Black-capped Tanager ( <i>Tangara heinei</i> )	Nono Road
Silvery [Silver-backed] Tanager ( <i>Tangara viridicollis</i> )	
Green-throated [Straw-backed] Tanager ( <i>Tangara argyrofenges</i> )	
Purplish-mantled Tanager ( <i>Iridosornis porphyrocephala</i> )	
Yellow-throated Tanager ( <i>Iridosornis analis</i> )	
Golden-crowned Tanager ( <i>Iridosornis rufivertex</i> )	Yanacocha

Species	Comments
Scarlet-bellied Mountain-Tanager ( <i>Anisognathus igniventris</i> )	Yanacocha
Lacrimose Mountain-Tanager ( <i>Anisognathus lacrymosus</i> )	
Blue-winged Mountain-Tanager ( <i>Anisognathus somptuosus</i> )	The most common mountain-tanager. San Isidro, Tandayapa, Nono Road, Upper Tandayapa Valley
Black-chinned Mountain-Tanager ( <i>Anisognathus notabilis</i> )	
Hooded Mountain-Tanager ( <i>Buthraupis montana</i> )	Nono Road, Yanacocha
Masked Mountain-Tanager ( <i>Buthraupis wetmorei</i> )	
Black-chested Mountain-Tanager ( <i>Buthraupis eximia</i> )	Yanacocha
Golden-chested Tanager ( <i>Bangsia rothschildi</i> )	
Moss-backed Tanager ( <i>Bangsia edwardsi</i> )	
Orange-throated Tanager ( <i>Wetmorethraupis sterrhopteron</i> )	
Buff-breasted Mountain-Tanager ( <i>Dubusia taeniata</i> )	Yanacocha
Swallow Tanager ( <i>Tersina viridis</i> )	Milpe Preserve, La Selva
Blue-gray Tanager ( <i>Thraupis episcopus</i> )	Very common. Guango, Guayacomos Ridge, Pedro Vicente de Maldonado, Los Bancos, Milpe Preserve and other locations.
Palm Tanager ( <i>Thraupis palmarum</i> )	Pedro Vicente de Maldonado, Los Bancos, Milpe Preserve
Blue-capped Tanager ( <i>Thraupis cyanocephala</i> )	One seen by Mark at Yanacocha
Blue-and-yellow Tanager ( <i>Thraupis bonariensis</i> )	Papallacta
Silver-beaked Tanager ( <i>Ramphocelus carbo</i> )	Loreto Road and La Selva
Masked Crimson Tanager ( <i>Ramphocelus nigrogularis</i> )	La Selva
Flame-rumped [Lemon-rumped] Tanager ( <i>Ramphocelus flammigerus icteronotus</i> )	Common. Nono Road, Pedro Vicente de Maldonado, Los Bancos, Milpe Preserve
Vermilion Tanager ( <i>Calochaetes coccineus</i> )	
Hepatic Tanager ( <i>Piranga flava</i> )	
Summer Tanager ( <i>Piranga rubra</i> )	Pedro Vicente de Maldonado, Milpe Preserve and another seen by Mark at San Isidro
Scarlet Tanager ( <i>Piranga olivacea</i> )	
White-winged Tanager ( <i>Piranga leucoptera</i> )	One seen by David at Tandayapa
Red-hooded Tanager ( <i>Piranga rubriceps</i> )	
Lemon-spectacled Tanager ( <i>Chlorothraupis olivacea</i> )	
Carmioli's [Olive] Tanager ( <i>Chlorothraupis carmioli frenata</i> )	
Ochre-breasted Tanager ( <i>Chlorothraupis stolzmanni</i> )	
Red-crowned Ant-Tanager ( <i>Habia rubica</i> )	
Fulvous Shrike-Tanager ( <i>Lanio fulvus</i> )	
White-lined Tanager ( <i>Tachyphonus rufus</i> )	Guayacomos Ridge
Flame-crested Tanager ( <i>Tachyphonus cristatus</i> )	La Selva
Fulvous-crested Tanager ( <i>Tachyphonus surinamus</i> )	
White-shouldered Tanager ( <i>Tachyphonus luctuosus</i> )	Guayacomos Ridge, Loreto Road, Pedro Vicente de Maldonado
Tawny-crested Tanager ( <i>Tachyphonus delatrii</i> )	
Scarlet-browed Tanager ( <i>Heterospingus xanthopygius</i> )	
Rufous-crested Tanager ( <i>Creurgops verticalis</i> )	
Gray-headed Tanager ( <i>Eucometis penicillata</i> )	La Selva
Dusky-faced Tanager ( <i>Mitrospingus cassinii</i> )	Pedro Vicente de Maldonado
Guira Tanager ( <i>Hemithraupis guira</i> )	Pedro Vicente de Maldonado, Los Bancos, Upper Tandayapa Valley
Yellow-backed Tanager ( <i>Hemithraupis flavicollis</i> )	
Scarlet-and-white Tanager ( <i>Chrysothlypis salmoni</i> )	
Orange-headed Tanager ( <i>Thlypopsis sordida</i> )	
Rufous-chested Tanager ( <i>Thlypopsis ornata</i> )	Nono Road, Upper Tandayapa Valley
Buff-bellied Tanager ( <i>Thlypopsis inornata</i> )	
White-capped Tanager ( <i>Sericossypha albocristata</i> )	
Common Bush-Tanager ( <i>Chlorospingus ophthalmicus</i> )	Guayacomos Ridge
Ashy-throated Bush-Tanager ( <i>Chlorospingus canicularis</i> )	
Yellow-green Bush-Tanager ( <i>Chlorospingus flavovirens</i> )	
Yellow-throated Bush-Tanager ( <i>Chlorospingus flavigularis</i> )	San Isidro
Yellow-throated [-whiskered] Bush-Tanager ( <i>Chlorospingus flavigularis parvirostris</i> )	Replaces Yellow-throated Bush-Tanager on the west slope. Milpe Preserve
Dusky Bush-Tanager ( <i>Chlorospingus semifuscus</i> )	Upper Tandayapa Valley
Gray-hooded Bush-Tanager ( <i>Cnemoscopus rubrirostris</i> )	
Black-backed Bush-Tanager ( <i>Urothraupis stolzmanni</i> )	
Black-capped Hemispingus ( <i>Hemispingus atopileus</i> )	
Superciliaried Hemispingus ( <i>Hemispingus superciliaris</i> )	Nono Road, Yanacocha
Oleaginous Hemispingus ( <i>Hemispingus frontalis</i> )	
Black-eared Hemispingus ( <i>Hemispingus melanotis</i> )	San Isidro
Black-headed Hemispingus ( <i>Hemispingus verticalis</i> )	
Black-eared [Western] Hemispingus ( <i>Hemispingus melanotis ochraceus</i> )	Nono Road, Upper Tandayapa Valley
Black-and-white Tanager ( <i>Conothraupis speculigera</i> )	
Grass-green Tanager ( <i>Chlorornis riefferii</i> )	Nono Road, Upper Tandayapa Valley, Yanacocha. Amazing.
Magpie Tanager ( <i>Cissopis leveriana</i> )	Loreto Road
Black-faced Tanager ( <i>Schistochlamys melanopis</i> )	

Species	Comments
Plushcap (Catamblyrhynchus diadema)	Nono Road
<b>Saltators, Cardinal and Grosbeaks</b>	
Buff-throated Saltator (Saltator maximus)	Pedro Vicente de Maldonado
Grayish Saltator (Saltator coerulescens)	Loreto Road, La Selva
Black-cowled Saltator (Saltator nigriceps)	
Streaked Saltator (Saltator striatipectus)	
Masked Saltator (Saltator cinctus)	
Black-winged Saltator (Saltator atripennis)	Tandayapa
Slate-colored Grosbeak (Saltator grossus)	
Yellow-shouldered Grosbeak (Caryothraustes humeralis)	La Selva
Red-capped Cardinal (Paroaria gularis)	Common right at the water at La Selva
Golden-bellied [Southern Yellow] Grosbeak (Pheucticus chrysogaster)	Upper Tandayapa Valley
Black-backed Grosbeak (Pheucticus aureoventris)	
Rose-breasted Grosbeak (Pheucticus ludovicianus)	
Blue-black Grosbeak (Cyanocompsa cyanoides)	La Selva3
Blue Grosbeak (Guiraca caerulea)	
Dickcissel (Spiza americana)	
<b>Finches, Sparrows and allies</b>	
Crimson-breasted Finch (Rhodospingus cruentus)	One seen by Mark at Pedro Vicente de Maldonado
Blue-black Grassquit (Volatinia jacarina)	Loreto Road, Tandayapa, Pedro Vicente de Maldonado
Yellow-faced Grassquit (Tiaris olivacea)	
Dull-colored Grassquit (Tiaris obscura)	
Slate-colored Seedeater (Sporophila schistacea)	
Variable Seedeater (Sporophila aurita)	Pedro Vicente de Maldonado, Milpe Preserve, La Selva
Wing-barred Seedeater (Sporophila americana)	
Lined Seedeater (Sporophila lineola)	
Lesson's Seedeater (Sporophila bouvronides)	
Wing-barred [Caqueta] Seedeater (Sporophila americana murallae)	
Black-and-white Seedeater (Sporophila luctuosa)	
Yellow-bellied Seedeater (Sporophila nigricollis)	Common at Nono Road, Pedro Vicente de Maldonado, Milpe Preserve
Parrot-billed Seedeater (Sporophila peruviana)	
Drab Seedeater (Sporophila simplex)	
Ruddy-breasted Seedeater (Sporophila minuta)	
Chestnut-bellied Seedeater (Sporophila castaneiventris)	The most common seedeater at La Selva
Chestnut-throated Seedeater (Sporophila telasco)	
Large-billed Seed-Finch (Oryzoborus crassirostris)	One well-seen male perched and in flight showing its large ivory bill well at Loreto Road
Black-billed Seed-Finch (Oryzoborus atrirostris)	
Chestnut-bellied [Lesser] Seed-Finch (Oryzoborus angolensis)	Pedro Vicente de Maldonado, Milpe Preserve
Blue Seedeater (Amaurospiza concolor)	
Band-tailed Seedeater (Catamenia analis)	
Plain-colored Seedeater (Catamenia inornata)	Bushels at Papallacta; also at Yanacocha
Paramo Seedeater (Catamenia homochroa)	Papallacta
Sulphur-throated Finch (Sicalis taczanowskii)	
Saffron Finch (Sicalis flaveola)	
Grassland Yellow-Finch (Sicalis luteola)	
Cinereous Finch (Piezorhina cinerea)	
Plumbeous Sierra-Finch (Phrygilus unicolor)	Papallacta, Yanacocha
Ash-breasted Sierra-Finch (Phrygilus plebejus)	Found in much more arid habitat at Calicali
Band-tailed Sierra-Finch (Phrygilus alaudinus)	
Slaty Finch (Haplospiza rustica)	
Red-crested Finch [Red Pileated-Finch] (Coryphospingus cucullatus)	
Pale-naped Brush-Finch (Atlapetes pallidinucha)	
Rufous-naped Brush-Finch (Atlapetes rufinucha)	Papallacta, Nono Road, Yanacocha
Tricolored Brush-Finch (Atlapetes tricolor)	Nono Road, Milpe Preserve
White-winged Brush-Finch (Atlapetes leucopterus)	Nono Road, Tandayapa
Slaty Brush-Finch (Atlapetes schistaceus)	
Bay-crowned Brush-Finch (Atlapetes seebohmi)	
White-headed Brush-Finch (Atlapetes albiceps)	
<b>Pale-headed Brush-Finch (Atlapetes pallidiceps)</b>	
White-rimmed Brush-Finch (Atlapetes leucopis)	
Chestnut-capped [-crowned] Brush-Finch (Buarremon brunneinucha)	Tandayapa, Yanacocha and another seen by David at San Isidro
Stripe-headed Brush-Finch (Buarremon torquatus)	Papallacta, Yanacocha
Tanager Finch (Oreothraupis arremonops)	
Olive Finch (Lysurus castaneiceps)	
Orange-billed Sparrow (Arremon aurantiirostris)	Pedro Vicente de Maldonado
Black-capped Sparrow (Arremon abeillei)	
Black-striped Sparrow (Arremonops conirostris)	

Species	Comments
Yellow-browed Sparrow ( <i>Ammodramus aurifrons</i> )	Easy to find at San Isidro
Grasshopper Sparrow ( <i>Ammodramus savannarum</i> )	
Tumbes Sparrow ( <i>Aimophila stolzmanni</i> )	
Rufous-collared Sparrow ( <i>Zonotrichia capensis</i> )	Ubiquitous. Quito, Papallacta, Guango, San Isidro and other locations
Collared Warbling-Finch ( <i>Poospiza hispaniolensis</i> )	

#### New World Blackbirds

Shiny Cowbird ( <i>Molothrus bonariensis</i> )	La Selva
Giant Cowbird ( <i>Scaphidura oryzivora</i> )	La Selva
Band-tailed Oropendola ( <i>Ocyalus latirostris</i> )	
Chestnut-headed Oropendola ( <i>Psarocolius wagleri</i> )	
Casqued Oropendola ( <i>Psarocolius oseryi</i> )	
Crested Oropendola ( <i>Psarocolius decumanus</i> )	La Selva.
Green Oropendola ( <i>Psarocolius viridis</i> )	
Russet-backed Oropendola ( <i>Psarocolius angustifrons</i> )	La Selva. The most common Oropendola
Olive Oropendola ( <i>Psarocolius bifasciatus</i> )	
Yellow-rumped Cacique ( <i>Cacicus cela</i> )	Ubiquitous at La Selva at the lodge and elsewhere
Red-rumped Cacique ( <i>Cacicus haemorrhous</i> )	Heard only at La Selva
Scarlet-rumped [Subtropical] Cacique ( <i>Cacicus uropygialis uropygialis</i> )	San Isidro
Scarlet-rumped Cacique ( <i>Cacicus microrhynchus</i> )	Pedro Vicente de Maldonado and heard at La Selva
Mountain Cacique [Northern Mountain-Cacique] ( <i>Cacicus chrysonotus leucoramphus</i> )	
Ecuadorian Cacique ( <i>Cacicus sclateri</i> )	
Solitary Black Cacique ( <i>Cacicus solitarius</i> )	
Yellow-billed Cacique ( <i>Amblycercus holosericeus</i> )	
Scrub Blackbird ( <i>Dives warszewiczi</i> )	Pedro Vicente de Maldonado
Great-tailed Grackle ( <i>Quiscalus mexicanus</i> )	
Velvet-fronted Grackle ( <i>Lamprosar tanagrinus</i> )	
Pale-eyed Blackbird ( <i>Agelaius xanthophthalmus</i> )	
Epaulet [Moriche] Oriole ( <i>Icterus chryscephalus</i> )	
[Orange-backed] Troupial ( <i>Icterus icterus croconotus</i> )	
Baltimore Oriole ( <i>Icterus galbula</i> )	
White-edged Oriole ( <i>Icterus graceanae</i> )	
Yellow-tailed Oriole ( <i>Icterus mesomelas</i> )	
Oriole Blackbird ( <i>Gymnomystax mexicanus</i> )	La Selva
Red-breasted Blackbird ( <i>Sturnella militaris</i> )	Pedro Vicente de Maldonado
Peruvian Meadowlark ( <i>Sturnella bellicosa</i> )	
Bobolink ( <i>Dolichonyx oryzivorus</i> )	

#### Siskins and Goldfinch

Hooded Siskin ( <i>Carduelis magellanica</i> )	Papallacta
<b>Saffron Siskin (<i>Carduelis siemiradzkii</i>)</b>	
Olivaceous Siskin ( <i>Carduelis olivacea</i> )	San Isidro
Yellow-bellied Siskin ( <i>Carduelis xanthogastra</i> )	
Andean Siskin ( <i>Carduelis spinescens</i> )	
Lesser Goldfinch ( <i>Carduelis psaltria</i> )	

#### Weaver

House Sparrow ( <i>Passer domesticus</i> )	
--	--

Non-avian species	Comments
Black Agouti ( <i>Dasyprocta fuliginosa</i> )	La Selva
Long-nosed Bat ( <i>Rhynchonycteris naso</i> )	La Selva
Fishing Bat ( <i>Noctilio leporinus</i> )	La Selva
Red Howler ( <i>Alouatta seniculus</i> )	Heard only at La Selva
Black-mantled Tamarin ( <i>Saguinus nigricollis</i> )	La Selva
Woolly Monkey ( <i>Lagothrix lagothrica</i> )	La Selva
Collard Peccary ( <i>Tayassu tajacu</i> )	La Selva